

此呈：

中华人民共和国商务部

中国相关高温承压用合金钢无缝钢管产业申请对原产于欧盟和美国的进口相关高温承压用合金钢无缝钢管所适用的反倾销措施进行期终复审调查

相关高温承压用合金钢无缝钢管反倾销措施 期终复审调查申请书

【附件】

期终复审申请人：

内蒙古北方重工业集团有限公司

申请人全权代理人：

北京市博恒律师事务所

二〇一九年三月六日

证据目录和清单

- 附件一： 申请人的营业执照及授权委托书
- 附件二： 律师指派书和律师执业证明
- 附件三： 涉案企业在华关联企业情况说明
- 附件四： 关于 P92 无缝钢管市场情况的说明
- 附件五： 中华人民共和国进出口税则，2014 年—2018 年版
- 附件六： P92 无缝钢管市场调查报告
- 附件七： 海运费和保险费报价
- 附件八： 世界银行集团关于欧盟和美国的贸易环节费用报告
- 附件九： 汇率说明
- 附件十： 申请人财务数据和报表

附件一：申请人营业执照及授权委托书

授权委托书

委托人： 内蒙古北方重工业集团有限公司

被委托人：北京市博恒律师事务所

委托事由：委托人特此全权委托北京市博恒律师事务所代表委托人对原产于欧盟和美国的进口P92钢管适用的反倾销措施提请期终复审（日落复审）申请及相关事宜。

北京市博恒律师事务所的代理权限为：全权代理。具体权限包括但不限于：

- 1、制订反倾销日落复审工作计划和方案，根据调查结果和案件的实际进展提供相应的法律意见和策略性建议；
- 2、在委托人的协助下，代表或者协助收集和整理案件所需要的证据材料和信息，包括国内外市场信息和国内企业生产经营状况等证据资料；
- 3、根据法律规定起草反倾销日落复审申请书及准备相关附件材料；
- 4、代表委托人与调查机关进行磋商并正式提出反倾销日落复审书面申请；
- 5、指导和协助委托人填写调查机关发放的调查问卷；
- 6、指导和协助委托人配合国家调查机关的实地核查工作；
- 7、代表委托人参加题述案件的审理、陈述会、听证会等；
- 8、根据案件的进展情况代表委托人依法向调查机关查阅应诉方的抗辩和评论意见，并及时提出相应反驳意见；
- 9、根据案件具体情况，代表委托人向调查机关提出相应请求和意见；
- 10、代表委托人进行反倾销日落复审案件所需的其他工作。

本授权书所规定的权限在授权事宜完成时终结。

委托人：内蒙古北方重工业集团有限公司

（盖章）

二〇一九年一月



附件二：律师指派书和律师执业证明

相关高温承压用合金钢无缝钢管 反倾销措施期终复审调查申请律师指派书

为中国相关高温承压用合金钢无缝钢管产业对原产于欧盟和美国的进口相关高温承压用合金钢无缝钢管提请反倾销措施期终复审调查申请之目的，内蒙古北方重工业集团有限公司授权北京市博恒律师事务所作为其全权代理人，代理题述案件的申请及调查工作。

北京市博恒律师事务所根据上述委托，特指派本所郭东平律师、贺京华律师和蓝雄律师共同代理，处理上述委托的与题述案件有关的全部事宜，同时指派本所律师助理姚峰文、王慧婷、曾新祥、付凯琳、荆惠云、处理上述委托的与题述案件有关的事宜，包括但不限于提交申请书、问卷答卷、问题单答复意见和评论意见等，文件签收，公开信息查阅室查询并复印资料，资料收集等。

北京市博恒律师事务所

二〇一九年三月六日



律 师 事 务 所 执 业 许 可 证

(副 本)

证号:21101200310423105

北京市博恒 律师事务所，
符合《律师法》及《律师事务所管理办法》
规定的条件，准予设立并执业。

发证机关：北京市司法局

发证日期：2013 年 04 月 22 日

执业机构 北京市博恒律师事务所

执业证类别 专职律师

执业证号 11101200310402136

法律职业资格
或律师资格证号 01200077020756

发证机关 北京市司法局

发证日期 2013 年4 月22 日

持证人 郭东平

性 别 男

身份证

执业机构 北京市博恒律师事务所

执业证类别 专职律师

执业证号 11101199510115344

法律职业资格
或律师资格证号 (京)司律证字 3805 号

发证机关 北京市司法局

发证日期 2013 年 04 月 22 日

持证人 贺京华

性 别 男

身份证

执业机构 北京市博恒律师事务所

执业证类别 专职律师

执业证号 11101200310817778

法律职业资格
或律师资格证号 019774120007

发证机关 北京市司法局

发证日期 2013 年 04 月 22 日

持证人 蓝雄

性 别 男

身份证号

附件三：涉案企业在华关联企业情况说明

三家涉案企业在中国关联企业的情况说明

根据申请人获得的初步证据显示，国内 P92 无缝钢管生产企业扬州诚德钢管有限公司与本次申请调查的美国出口经营者威曼高登锻造有限公司 (Wyman-Gordon Forgings, Inc.) 存在关联关系；国内 P92 无缝钢管生产企业瓦卢瑞克（中国）有限公司与本次申请调查的欧盟出口经营者瓦卢瑞克德国公司 (Vallourec Deutschland GmbH)、瓦卢瑞克法国钢管公司 (VALLOUREC TUBES FRANCE) 存在关联关系；国内 P92 无缝钢管生产企业泰科图比（天津）管件有限公司与本次申请调查的欧盟出口经营者意大利泰科图比公司 (Tectubi Raccordi S.p.A.) 存在关联关系。

根据扬州诚德钢管有限公司工商登记信息、公司官网披露投资人信息和其他相关信息显示，国内 P92 无缝钢管生产企业扬州诚德钢管有限公司与本次申请调查的美国出口经营者威曼高登锻造有限公司存在关联关系，受同一母公司美国伯克希尔哈撒韦公司控制。美国 PCC 集团通过其在中国设立的子公司诚德钢管香港有限公司对扬州诚德钢管有限公司控股 50%，威曼高登锻造有限公司为美国 PCC 集团旗下子公司。根据，美国伯克希尔哈撒韦公司 (BERKSHIRE HATHAWAY INC) 在 2017 年报中披露的信息，该公司在 2016 年 1 月 29 日收购了美国 PCC 集团，所以伯克希尔哈撒韦公司实际控制扬州诚德钢管有限公司和威曼高登锻造有限公司。

根据瓦卢瑞克（中国）有限公司工商登记信息和瓦卢瑞克钢管公司相关信息显示，国内 P92 无缝钢管生产企业瓦卢瑞克（中国）有限公司与本次申请调查的欧盟出口经营者瓦卢瑞克德国公司、瓦卢瑞克法国钢管公司存在关联关系。瓦卢瑞克（中国）有限公司、瓦卢瑞克德国公司、瓦卢瑞克法国钢管公司均由瓦卢瑞克钢管公司 (VALLOUREC TUBES) 100%控股。

根据泰科图比（天津）管件有限公司工商登记信息和阿莱德国际有限公司相关信息显示，国内 P92 无缝钢管生产企业泰科图比（天津）管件有限公司与本次申请调查的欧盟出口经营者意大利泰科图比公司存在关联关系，均受同一母公司阿莱德国际有限公司 (Allied Group) 控制。

相关证据请参见后附的材料。

关于诚德

→ 公司简介

→ 董事长介绍

→ 发展进程

→ 企业文化

→ 公司荣誉



发展进程

公司成立进程

江苏诚德钢管股份有限公司为优化业务结构，更好地利用大口径业务优势，培育和拓展大口径业务的国际竞争力，经诚德原股东一致同意，在江苏诚德钢管股份有限公司的基础上，分立存续新设扬州诚德钢管有限公司，主营原诚德Φ219mm以上无缝钢管业务：

2006年5月，启动江苏诚德钢管股份有限公司重组私募和上市筹备工作；

2006年10月11日，经扬州市江都工商行政管理局批准，成立扬州诚德钢管有限公司，注册资本2000万人民币；

2006年12月23日，扬州诚德钢管有限公司引进资本投资者美国凯雷投资集团，双方在上海市签署《扬州诚德项目谅解备忘录》；

2007年1月12日，完成扬州诚德钢管有限公司的增资工作，注册资本由原2000万元人民币增至16000万人民币；

2007年2月28日，扬州诚德钢管有限公司和美国凯雷集团在江都签署《股权购买协议书》、《合资经营合同》、《合资章程》等一系列文件；

2007年3月5日，江苏省发展和改革委员会核准扬州诚德钢管有限公司股权购并项目（苏发改工业〔2007〕272号）；

2007年3月13日，江苏省对外贸易经济合作厅批准同意成立中外合资扬州诚德钢管有限公司（苏外经贸资〔2007〕192号）；

2007年3月14日，经江苏省扬州工商行政管理局批准，成立中外合资企业扬州诚德钢管有限公司，注册资本16000万人民币。

2007年4月，扬州诚德钢管有限公司和美国凯雷集团完成最后的交割条件，资金注入。

2010年，美国PCC集团和美国凯雷集团完成股权交易，成为扬州诚德钢管有限公司新的合资伙伴，其企业性质和经营范围未变。

批示文件

中华人民共和国外商投资企业批准证书：



投资者关系

→ 股东构成

→ 合作交流

→ 共同愿景



股东构成

张怀德先生 50% Mr. Zhang Huaide : 50%



- 研究员级高级工程师
- 高级经济师
- 高级政工师
- 国务院特殊津贴获得者
- 历 30 年从事冶金机械制造技术集大成者

- Researcher Level Senior Engineer
- Senior Economist
- Senior Political Worker
- Special allowance from the State Council
- Over 30years Competent Experience in Metallurgical Machinery & Manufacturing Technology

美国 PCC 集团 50% American PCC Group : 50%

Precision Castparts Corp. at a Glance
美国精密铸造公司 (PCC)
Founded in 1952/成立于1952年

 Public Corporation(PCP)纽约证券交易所上市
141 Million shares 共1.41亿股

Subsidiaries 旗下企业

- PCC Structurals, Inc. PCC结构件公司
- PCC Airfoils, Inc. PCC叶片公司
- Specialty Materials & Alloys Group 特殊材料与合金公司
- Wyman-Gordon Forgings 威曼高登锻造公司
- Special Metals Corp. 特殊金属公司
- SPS Fasteners 司普斯紧固件公司

Headquarters / 总部:



Portland, Oregon USA
美国俄勒冈州波特兰市

More than 18,000 employees worldwide 全球逾18,000名员工

FY' 10 Annual Sales: \$ 5.5 Billion / 10财年销售额: 55.0亿美元

公司首页 | 关于诚德 | 新闻中心 | 产品介绍 | 设备展示 | 资料服务 | 投资者关系 | 招贤纳士 | 联系我们

Copyright : 2016 扬州诚德钢管有限公司 All Rights Reserved





工商网监

营业执照

统一社会信用代码：91321000793835357W

法定代表人：张怀德

登记机关：江苏省扬州工商行政管理局

成立日期：2006年10月11日

存续（在营、开业、在册）

发送报告

信息分享

信息打印

营业执照信息

统一社会信用代码：91321000793835357W

类型：有限责任公司(台港澳与境内合资)

注册资本：16000.000000万人民币

营业期限自：2006年10月11日

登记机关：江苏省扬州工商行政管理局

登记状态：存续（在营、开业、在册）

住所：扬州市江都区沿江经济开发区

经营范围：从事直径219mm以上大口径无缝钢管、不锈钢管、镍管、钛管和相关产品的设计、制造、营销、进出口和销售；以及合资公司生产、科研所需的原辅材料、机械设备、仪器、仪表及零配件进口；并提供售后服务及其他相关服务。

企业名称：扬州诚德钢管有限公司

法定代表人：张怀德

成立日期：2006年10月11日

营业期限至：2057年03月14日

核准日期：2016年04月11日

股东及出资信息

序号	股东名称	股东类型	证照/证件类型	证照/证件号码	详情
1	张怀德	自然人股东	非公示项	非公示项	
2	诚德钢管香港有限公司	外国(地区)企业	其他	1134057	

共 查询到 2 条记录 共 1 页

首页

« 上一页

1

下一页 »

末页

主要人员信息

共计 7 条信息

John Scott Fr...
董事

Kirk Pulley
副董事长

张铮
董事

Ruth A Beyer
董事

张怀德
董事长

ROGER ANT...
监事

尹飞
董事

分支机构信息

暂无分支机构信息

点击或下拉加载更多信息

关注

订阅

异议

返回

扬州诚德钢管有限公司

★收藏

主营产品：

514-86432805

- 公司首页
- 供应信息
- 公司介绍
- 公司资质
- 公司相册
- 联系方式

反馈意见：

视觉干扰

内容不宜

不感兴趣

其他原因

返回

当前位置 > 公司首页 > 公司介绍

加入信贸通

全网推广

联系方式

发送询盘

扬州诚德钢管有限公司

曹先生

所在地：江苏 扬州

主营产品：



扬州诚德钢管有限公司的前身——江苏诚德钢管股份有限公司系国家大二型企业，省级科技民营企业，主要生产Φ22-720×3-100mm各类碳钢、合金钢无缝钢管，产品覆盖热电、锅炉、石油、化工、煤炭、造船等诸多行业，是国内无缝钢管品种***全的科技民营企业。

2006年7月，江苏诚德钢管股份公司将大口径钢管生产业务分立并新设扬州诚德钢管有限公司，于2006年10月领取企业法人营业执照。扬州诚德钢管有限公司为一家大型钢管制造企业，注册资本为1.6亿元人民币，主要生产直径219毫米以上的大口径高压锅炉管、石油石化用管、船舶用管、高压化肥用管、石油开采用表层套管等高端钢铁管材产品。

目前，扬州诚德钢管有限公司的高端大口径无缝钢管已经进入高速成长期，公司正考虑未来的更大发展和前景。2006年以来，公司继续巩固在大口径无缝钢管行业的领先地位，通过科技创新，不断扩大生产经营规模。公司力争在2010年达到生产大口径无缝钢管超过20万吨，销售收入50亿元，利税超过10亿元。

2006年10月，江苏诚德钢管股份有限公司大口径钢管业务分立存续，新设扬州诚德钢管有限公司，注册资本2000万元。

2006年12月，扬州诚德钢管有限公司增资14000万元，注册资本16000万元。

2007年2月，美国凯雷投资集团以下属子公司Carlyle Marco Polo Steel Tube Co.,Ltd名义购买张怀德先生拥有的扬州诚德钢管有限公司49%股份，公司成为中外合资经营企业；

2009年1月，总投资15亿元的公司二期工程投产，主要用Φ600，Φ700，Φ800连铸坯、锻坯、电渣重熔坯生产大直径薄壁高精度电站锅炉用管、CNG大气瓶用管、缸筒管、风力发电用轴承管、海底输氧管线用管等。该项目的进一步完善，将使之成为世界上的大口径无缝管低成本生产线；

2010年1月，美国PCC公司（Precision Castparts Corp.）与美国凯雷投资集团完成股权交易，通过其在香港设立的子公司诚德钢管香港有限公司持有合资公司49%股权，成为合资公司新的股东；

2010年，公司在建“大直径棒材锻轧联合生产线”三期工程项目，继续拓展产业链，延伸产品结构.....



BRANDS

Our brands include Wyman-Gordon, Carlton Forge, McWilliams Forge, Special Metals Corporation, Dickson Services, Timet, and PCC Energy Group (Wyman-Gordon, KLAD, Rollmet, Hackney-Ladish). The merging of capabilities across these brands provides the industry's most comprehensive source of added value to our customers.



BERKSHIRE HATHAWAY INC.

2017
ANNUAL REPORT

IMC International Metalworking Companies

IMC International Metalworking Companies (“IMC”) is one of the world’s three largest multinational manufacturers of consumable precision carbide metal cutting tools for applications in a broad range of industrial end markets. IMC’s principal brand names include *ISCAR®*, *TaeguTec®*, *Ingersoll®*, *Tungaloy®*, *Unitac®*, *UOP®*, *It.te.di®*, *Tool—Flo®* and *Outiltec®*. IMC’s principal manufacturing facilities are located in Israel, United States, Germany, Italy, France, Switzerland, South Korea, China, India, Japan and Brazil.

IMC has five primary product lines: milling tools, gripping tools, turning/thread tools, drilling tools and tooling. The main products are split within each product line between consumable cemented tungsten carbide inserts and steel tool holders. Inserts comprise the vast majority of sales and earnings. Metal cutting inserts are used by industrial manufacturers to cut metals and are consumed during their use in cutting applications. IMC manufactures hundreds of types of highly engineered inserts within each product line that are tailored to maximize productivity and meet the technical requirements of customers. IMC’s staff of scientists and engineers continuously develop and innovate products that address end user needs and requirements.

IMC’s global sales and marketing network operates in virtually every major manufacturing center around the world staffed with highly skilled engineers and technical personnel. IMC’s customer base is very diverse, with its primary customers being large, multinational businesses in the automotive, aerospace, engineering and machinery industries. IMC operates a regional central warehouse system with locations in Israel, United States, Belgium, Korea, Japan and Brazil. Additional small quantities of products are maintained at local IMC offices in order to provide on-time customer support and inventory management.

IMC competes in the metal cutting tools segment of the global metalworking tools market. The segment includes hundreds of participants who range from small, private manufacturers of specialized products for niche applications and markets to larger, global multinational businesses (such as Sandvik and Kennametal, Inc.) with a wide assortment of products and extensive distribution networks. Other manufacturing companies such as Kyocera, Mitsubishi, Sumitomo, Ceratizit and Korloy also play a significant role in the cutting tool market.

公司在2016 年1 月29 日收购了美国PCC集团。

Precision Castparts

Berkshire acquired Precision Castparts Corp. (“PCC”) on January 29, 2016. PCC manufactures complex metal components and products, provides high-quality investment castings, forgings, fasteners/fastener systems and aerostructures for critical aerospace and power and energy applications. PCC also provides seamless pipe for coal-fired, industrial gas turbine (“IGT”) and nuclear power plants; downhole casing and tubing, fittings and various mill forms in a variety of nickel and steel alloys for severe-service oil and gas environments; investment castings and forgings for general industrial, armament, medical and other applications; nickel and titanium alloys in all standard mill forms from large ingots and billets to plate, foil, sheet, strip, tubing, bar, rod, extruded shapes, rod-in-coil, wire and welding consumables, as well as cobalt alloys, for the aerospace, chemical processing, oil and gas, pollution control and other industries; revert management solutions; fasteners for automotive and general industrial markets; specialty alloys for the investment casting and forging industries; heat treating and destructive testing services for the investment cast products and forging industries; refiner plates and other products for the pulp and paper industry; grinder pumps and affiliated components for low-pressure sewer systems; critical auxiliary equipment and gas monitoring systems for the power generation industry; and metalworking tools for the fastener market and other applications.

Investment casting technology involves a multi-step process that uses ceramic molds in the manufacture of metal components with more complex shapes, closer tolerances and finer surface finishes than parts manufactured using other methods. PCC uses this process to manufacture products for aircraft engines, IGT’s and other aeroderivative engines, airframes, medical implants, armament, unmanned aerial vehicles and other industrial applications. PCC also manufactures high temperature carbon and ceramic composite components, including ceramic matrix composites, for use in next-generation aerospace engines.

PCC uses forging processes to manufacture components for the aerospace and power generation markets, including seamless pipe for coal-fired, industrial gas turbine and nuclear power plants, and downhole casings and tubing pipe for severe service oil and gas markets. PCC manufactures high-performance, nickel-based alloys used to produce forged components for aerospace and non-aerospace applications in such markets as oil and gas, chemical processing and pollution control. The titanium products are used to manufacture components for the commercial and military aerospace, power generation, energy, and industrial end markets.

PCC is also a leading developer and manufacturer of highly engineered fasteners, fastener systems, aerostructures and precision components, primarily for critical aerospace applications. These products are produced for the aerospace and power and energy markets, as well as for construction, automotive, heavy truck, farm machinery, mining and construction equipment, shipbuilding, machine tools, medical equipment, appliances and recreation markets.

营业执照

统一社会信用代码：9132041177543498X3

法定代表人：Stephane Jeanneteau

登记机关：常州国家高新区（新北区）市场监督管理局

成立日期：2005年06月21日

存续（在营、开业、在册）

发送报告

信息分享

信息打印

营业执照信息

统一社会信用代码：9132041177543498X3

类型：有限责任公司(外国法人独资)

注册资本：29923.064496万美元

营业期限自：2005年06月21日

登记机关：常州国家高新区（新北区）市场监督管理局

登记状态：存续（在营、开业、在册）

住所：常州市新北区新民东路88号

经营范围：开发、设计和生产特种无缝钢管和机车车辆主要部件；提供相关的技术咨询、技术培训、技术服务；为关联公司提供企业管理服务（除金融、类金融业务）；计算机系统集成服务，计算机信息技术咨询及服务；无缝钢管和其他金属管的批发、进出口、佣金代理（拍卖除外）和售后服务。（不涉及国营贸易管理商品，涉及配额、许可证管理商品的，按国家有关规定办理申请）（依法须经批准的项目，经相关部门批准后方可开展经营活动）

企业名称：瓦卢瑞克（中国）有限公司

法定代表人：Stephane Jeanneteau

成立日期：2005年06月21日

营业期限至：2055年06月20日

核准日期：2018年10月23日

股东及出资信息

序号	股东名称	股东类型	证照/证件类型	证照/证件号码	详情
1	VALLOUREC TUBES	外国(地区)企业	其他	411373525R.C.S.	

共 查询到 1 条记录 共 1 页

首页

◀ 上一页

1

下一页 ▶

末页

主要人员信息

共计 8 条信息

Pascal Braqu...
董事

Nicolas More...
董事

EDOUARD G...
董事

李顺
董事

Valerie Baudart
监事

Durain Bernard
总经理

Stephane Jea...
董事长

刘明
董事

分支机构信息

瓦卢瑞克（中国）有限公司北京分公司
统一社会信用代码/注册号：91110105MA019LG61
登记机关：北京市朝阳区工商局

瓦卢瑞克（中国）有限公司上海分公司
统一社会信用代码/注册号：
登记机关：上海市工商行政管理局



EN

Search



VALLOUREC 1,611 € ▲ +0,28 %

15/02/2019 Paris 17:37 CET

COUNTRIES

[Home](#) > [Countries](#) > [China](#)

China

For more than 100 years, Mannesmann, then Vallourec, has been supplying China with large quantities of increasingly sophisticated tubes and pipes primarily serving the power generation and oil & gas markets as well as petrochemical, mechanical and structural applications.

On the power generation market, Vallourec is a recognized and experienced expert of solutions for nuclear and conventional (supercritical and ultra supercritical) power plants.

As an example, the Group delivered its first premium tubular solutions for the supercritical plant project of Qin Bei in 1995.



In Oil & Gas, Vallourec offers a wide range of premium tubular solutions as drill pipes, OCTG, risers, line-pipes and offshore structures, delivering products to the most demanding and critical fields in China such as Tarim basin (deep wells with critically geological conditions), Sichuan basin (extreme drilling conditions wells with high content of H₂S and geological difficulties) as well as Bohai and Nanhai Seas (performance products for drilling deep water wells and complex extended reach wells).

Chinese market

China represents approximately one third of the global seamless pipes consumption.

Main customers

- Power generation: Huaneng, Datang, Huadian, Guodian, CPI, HEC, SEC, DEC, DFHM, SENPEC, HQC, Shen Hua, B/W, Dongguan Power, Ji Lin Hao Yu.
- Oil & Gas: CNPC, Sinopec, CNOOC, Chevron, Roc Oil, TP, TOTAL, ESSAR, Pertamina, Petrobras, PDVSA, Cairn, PTTEP, PERENCO, OXY, Shell, KOC, Repsol, Schlumberger, GE.

Key dates of Vallourec's history in China

2016	In November, increase of Vallourec controlling interest in Anhui Tianda Oil Pipe up to 70.07%, and launch of a Mandatory General Offer to acquire the remaining shares
2015	Valinox Nucléaire Guangzhou (Nansha) receives HAF601 homologation
2014	Creation of Vallourec (Beijing) Shanghai Branch
2013	Inauguration of Valinox Nucléaire new plant in Nansha
2012	Extension of Vallourec Changzhou (production and finishing of power generation tubes)
2011	First stone laid of Valinox Nucléaire in Nansha
2010	New investment project of Valinox Nucléaire in Nansha: facility for steam generator tubes dedicated to the Chinese nuclear power industry
2010	Acquisition of 19.5% of Tianda Oil Pipe, a Chinese pipe manufacturer for Oil & Gas applications
2010	Decision to extend Vallourec Changzhou capacity (production of power generation tubes)
2007	Creation of VAM Changzhou (threading facility, oil & gas)
2007	Creation of Vallourec (Beijing) Co., Ltd.
2006	Creation of Vallourec Changzhou (finishing facility, power generation)
1996	First plant in Changzhou (Changzhou Vallourec Heat Exchanger Tubes)

2006年，设立瓦卢
瑞克常州工厂

- [Vallourec Group](#)
- [VALLOUREC TUBES](#)
 - [Vallourec Worldwide](#)
- [Application Areas](#)
- [Contacts](#)
- [Products A to Z](#)
- [Join Us](#)
- [Publications](#)

[Home](#)

Company Profile

As a part of Vallourec Group, VALLOUREC TUBES (former VALLOUREC & MANNESMANN TUBES) was founded in October 1997 as a joint venture between the French [Vallourec Group](#) (55% of shares) and the German [Mannesmannroehren-Werke](#) (45% of shares) joining together all their production units and marketing interests for seamless hot rolled tubes and threaded oilfield tubulars (OCTG). In 2005, the Vallourec Group took over the 45% stake previously held by Mannesmannroehren-Werke GmbH and thereby increased its 55 percent holding to 100 percent.

During the past decade, VALLOUREC TUBES has increased its worldwide presence to more than 20 countries including USA, Brazil, Russia, China, etc.

VALLOUREC TUBES is a world leader in the production of seamless hot rolled steel tubes for all applications. The company's eight European tube mills (4 in France and 4 in Germany) and production sites in Brazil, USA and China (Vallourec Changzhou Phase II in 2012) use state-of-the-art production processes. Our plants have a combined capacity of more than 3 million tons. Our tubes and pipes cover the world's largest range of dimensions for seamless steel tubes.

Vallourec has steelworks of its own in Saint-Saulve (France), Duisburg-Huckingen (30% shares in HKM, Germany), Belo Horizonte and Jeceaba (Brazil) and in Youngstown (USA). With this independence, the company is not only in a position to offer short delivery times but also to produce hundreds of different steel grades matched to the individual demands of the tube and pipe customers.

VALLOUREC TUBES offers these benefits to its customers around the globe:

- **Total competence**
In the production of seamless hot rolled steel tube and pipe
- **A comprehensive size range**
For outside diameters from 21.3 to 1,500 mm, with wall thicknesses from 2 to 250 mm
- **A full range of grades**
Carbon steels, alloyed and special steels, tailored to the customer's application
- **An enviable R & D base**
Top scientists and experts are developing products and technology for tomorrow's needs in the Group's own research centres in France and Germany
- **Protection of the environment**
At all our production sites the protection of the environment is an important commitment. Most of the works are certified according to ISO 14001
- **Global presence**
Licensed threading facilities for OCTG and an efficient distribution and service network worldwide are at our customers' disposal

瓦卢瑞克钢管公司在欧洲共有8套P92无缝钢管的生产装置。其中4套在法国，4套在德国。

营业执照

泰科图比（天津）管件有限公司

存续（在营、开业、在册）

统一社会信用代码： 91120110673703915P

法定代表人： Min Fang Espagnol

登记机关： 天津市东丽区市场和质量技术监督局

成立日期： 2008年04月02日

发送报告

信息分享

信息打印

基础信息 | 行政许可信息 | 行政处罚信息 | 列入经营异常名录信息 | 列入严重违法失信企业名单（黑名单）信息

营业执照信息

统一社会信用代码： 91120110673703915P

类型： 有限责任公司(外国法人独资)

注册资本： 850.000000万欧元

营业期限自： 2008年04月02日

登记机关： 天津市东丽区市场和质量技术监督局

登记状态： 存续（在营、开业、在册）

住所： 天津市东丽经济开发区六经路11号

经营范围： 开发、生产、加工、销售核电项目用大型锻件，管件、法兰及其配件，以及产品售后服务和相关技术咨询服务。

企业名称： 泰科图比（天津）管件有限公司

法定代表人： Min Fang Espagnol

成立日期： 2008年04月02日

营业期限至： 2023年04月01日

核准日期： 2017年04月12日

股东及出资信息

序号	股东名称	股东类型	证照/证件类型	证照/证件号码	详情
1	阿莱德国际有限公司	外国(地区)企业	其他	01294450331	查看

共 查询到 1 条记录 共 1 页

首页 ◀ 上一页 1 下一页 ▶ 末页

主要人员信息

共计 4 条信息

Valter Alberici
董事

Marc Smith H...
副董事长

Daniel Mario...
监事

Min Fang Esp...
董事长

分支机构信息

暂无分支机构信息

“多证合一” 信息公示

提示：该企业下列证照事项通过“多证合一” 已整合至该企业营业执照

序号	备案事项名称	备注
暂无多证合一公示信息		

共 查询到 0 条记录 共 0 页

首页 ◀ 上一页 下一页 ▶ 末页

清算信息

暂无清算信息

变更信息

序号	变更事项	变更前内容	变更后内容	变更日期
暂无变更信息				

共 查询到 0 条记录 共 0 页

首页 ◀ 上一页 下一页 ▶ 末页

动产抵押登记信息

序号	登记编号	登记日期	登记机关	被担保债权数额	公示日期	详情
正在加载，请稍候						

股权出质登记信息

关注

订阅

异议

返回

Group Companies

Allied International S.R.L.

- Head Office in Nibbiano Val Tidone, Piacenza, Italy
- Warehouse in Castel San Giovanni, Piacenza, Italy

Allied Fittings Asia Pacific Pte. Ltd.

- Commercial Office in Singapore

Allied International France SARL

- Commercial Office in Paris, France
- Commercial Office in Marseille, France

Allied International UK Ltd.

- Head Office, Plant and Warehouse in Grangemouth, Falkirk, Scotland
- Office and Warehouse in Aberdeen, Scotland
- Office and Warehouse in Teesside, England

Allied The Netherlands BV

- Commercial Office in Dordrecht, The Netherlands

Caspian Allied International Too

- Office and Warehouse in Aktau, Kazakhstan

Allied South Africa Ltd.

- Head Office in Johannesburg, South Africa

Allied Nigeria Pipes & Fittings Ltd.

- Commercial Office in Lagos, Nigeria

Allied Internacional Lda

- Commercial Office in Maputo, Mozambique

Tectubi Raccordi S.p.A.

- Head Office, Plant and Warehouse in Podenzano, Piacenza, Italy
- Plants in Castel San Giovanni and Calendasco, Piacenza, Italy
- Commercial Office in Abu Dhabi, United Arab Emirates

Tectubi Tianjin Fittings Co. Ltd.

- Head Office, Plant and Warehouse in Tianjin, China
- Commercial Office in Beijing, China

OMP - Tectubi Raccordi S.R.L.

Tectubi Raccordi Bending Division

- Office and Plants in Carbonara Scrivia, Alessandria, Italy

Gieminox - Tectubi Raccordi S.R.L.

Tectubi Raccordi Welded Pipes Division

- Office and Plant in Schio, Vicenza, Italy

Tectubi Raccordi Korea Co. Ltd.

- Commercial Office in Seoul, Republic of Korea

Raccordi Forgiati S.R.L.

- Office and Plant in Nibbiano Val Tidone, Piacenza, Italy

Representative Offices

- Libreville, Gabon
- Luanda, Angola
- Accra, Ghana

Allied Group North America

U.S.A. (Allied Fitting, Warren Alloy, Warren Valve, Tectubi Raccordi, Trilad)

- North American Headquarters and Warehouse in Houston, Texas
- Offices and Warehouses in Atlanta, Georgia - Charlotte, North Carolina - Cincinnati, Ohio - Dayton, New Jersey - Denver, Colorado - Mira Loma, California - Missouri City, Texas - Vancouver, Washington

CANADA (Allied Fitting, Warren Alloy, Trilad)

- Offices and Warehouses in Edmonton, Alberta - Montreal, Quebec - Toronto, Ontario

[← Company profile](#)[← Mission and strategy](#)[← Social responsibility](#)[← Health, Safety, Environment](#)[Corporate video](#)[Allied in the world](#)[Quality/Certifications](#)[Resources/Download](#)[Exhibitions](#)[Events](#)[news](#)[press review](#)

OMP Tectubi Raccordi S.R.L. merged by incorporation into Tectubi Raccordi S.p.A.

2017-12-01

[read more](#)

Tectubi Raccordi has completed the acquisition of OMP Mongiardino

2016-04-19

[read more](#)

Status of "Excellent supplier" awarded by CNPE

2013-01-08

[read more](#)

Websites of the Group

The Group



Allied International Group Companies



Allied Group North America Companies





TECTUBI TIANJIN FITTINGS Co. Ltd.



主页 关于我们 产品 材质 生产设备 联系我们

设备设施

拥有200名员工的天津新工厂工厂占地总面积为68,000平方米，员工200人。已于2011年投入生产，可以生产应用在电力及石油石化行业上的弯头（无缝，有缝），三通（无缝，有缝），管帽，清管三通，特殊流体三通，等径和异径四通，五通。年产值为15,000吨。工厂地理位置优越，坐落在天津东丽经济开发区中心，运输便利。此外，在北京设有销售办公室。



天津工厂面积（平方米）

露天面积:	33,000
厂房面积:	35,000
总面积:	68,000

← 公司简介

← 设备设施

← 产品

← 材质



企业宣传片



阿莱德集团全球市场分布图



质量/证书



资源/下载



展览会



公司大事记

附件四：关于 P92 无缝钢管市场情况的说明

非保密概要

本附件为申请人从第三方机构有偿获得的P92无缝钢管市场信息调研报告，基于保密义务的限制，申请人申请对该证据材料进行保密处理，不予全文对外披露，但申请人提供如下非保密性概要：

P92 无缝钢管属于高端合金钢无缝钢管，是一种高温承压用的大口径合金钢无缝钢管，具有较强的高温强度和抗蠕变性能，主要用于超临界、超超临界电站锅炉和电站汽水管道上。

一、国内市场上 P92 无缝钢管的供需状况

（一）市场需求状况

目前，欧美发达国家的火电机组基本饱和，中国已经成为建设超临界、超超临界火电机组最多的国家，多年以来一直是全球最大的 P92 无缝钢管消费市场。根据统计，全球 P92 无缝钢管的市场需求 80%左右集中在中国市场。

P92 无缝钢管在国内的主要下游用户为锅炉厂和管件公司，包括哈尔滨锅炉厂有限责任公司、东方锅炉股份有限公司、上海锅炉厂有限公司、阜新华通管道有限公司等，最终用户为各大电力集团，包括华能、国电、华电、中电投、大唐、神华、华润等电力公司。

2014 年以来国内 P92 无缝钢管的需求状况如下：

单位：万吨	
期 间	需 求 量
2014 年	3.73
2015 年	4.06
2016 年	4.34
2017 年	4.80
2018 年	4.70

注：上述需求量为表观消费量，根据国内企业的生产数据和中国进口量进行统计。

（二）市场供应状况

在国内市场上，P92 无缝钢管的来源主要由两部分构成，一是国产供应，二是进口。

截至目前，国内共有 8 家企业具备 P92 无缝钢管生产能力，分别是内蒙古北方重工业集团有限公司、湖北新冶钢有限公司、武汉重工铸锻有限责任公司、河北宏润重工股份有限公司、衡阳华菱钢管有限公司、扬州诚德钢管有限公司、瓦卢瑞克中国有限公司以及泰科图比(天津)管件有限公司。

在上述 8 家生产企业中，扬州诚德钢管有限公司、瓦卢瑞克中国有限公司以及泰科图比(天津)管件有限公司三家公司均为外资企业。其中：扬州诚德钢管有限公司为中外合资企业，美国伯克希尔哈撒韦公司在收购美国 PCC 集团后拥有 50%的股权；瓦卢瑞克中国有限公司为欧洲 VALLOUREC TUBES 的全资子公司；泰科图比(天津)管件有限公司为阿莱德国际有限公司的全资子公司，后者还是意大利泰科图比公司的母公司。

2014 年以来国内 P92 无缝钢管的供应状况如下：

单位：万吨

期 间	国内企业总产能			国内企业总产量		
	合计	内资企业	外资企业	合计	内资企业	外资企业
2014 年	53.50	35.00	18.50	0.73	【100】 0.03-0.63	【100】 0.10-0.70
2015 年	53.50	35.00	18.50	0.95	【76】 0.02-0.48	【175】 0.18-1.23
2016 年	53.50	35.00	18.50	1.03	【106】 0.03-0.67	【170】 0.17-1.19
2017 年	53.50	35.00	18.50	1.35	【227】 0.07-1.43	【150】 0.15-1.05
2018 年	53.50	35.00	18.50	1.10	【145】 0.04-0.92	【155】 0.16-1.09

注：上述产能数据为企业无缝钢管的产能数据。在无缝钢管行业中，通常情况下，无缝钢管生产装置既可以生产 P92 无缝钢管，也可以生产 P21、P22、P23、P36、P91、P122、P911 等其他无缝钢管产品。

【上述括号内的信息为国内内资企业和外资企业的总产量的数据。鉴于申请

人是国产同类产品最大的生产企业，对外披露内资企业和外资企业的总产量的数据，相关利害关系方可以据此推算出大致的申请人同类产品的产量的数据，会对申请人造成严重的不利影响，故申请保密不予列出。申请人以指数的形式表示国内内资企业和外资企业的总产量的变化情况，首期间的指数设定为 100，之后各期间按照与首期间的实际数据比乘以首期间的指数计算得出。同时，申请人辅以数值区间的方式对上述数据予以披露。】

国内 P92 无缝钢管进口主要来自于欧盟、美国和日本。国外供应商主要包括瓦卢瑞克法国钢管公司、瓦卢瑞克德国公司、意大利泰科图比管道有限公司、美国威曼高登锻造有限公司以及日本新日铁住金株式会社等。

2014 年以来国内 P92 无缝钢管的进口状况如下：

单位：万吨

期间	进口数量	其中：欧盟	其中：美国	其中：日本
2014 年	3.00	2.20	0.70	0.10
2015 年	3.11	2.20	0.80	0.11
2016 年	3.31	2.40	0.80	0.11
2017 年	3.45	2.50	0.85	0.10
2018 年	3.60	2.60	0.90	0.10

二、国际市场上 P92 无缝钢管的供需情况

在国际市场上，P92 无缝钢管的主要生产商包括瓦卢瑞克法国钢管公司、瓦卢瑞克德国公司、意大利泰科图比公司、美国威曼高登锻造有限公司以及日本新日铁住金株式会社。这 4 家生产企业的 P92 无缝钢管供应全球市场。

在全球市场上，对于欧美日发达国家而言，超临界、超超临界火电机组在已经得到较为普遍的应用，火电市场已经基本饱和，P92 无缝钢管的市场需求仅限于对现有火电站机组的维修和更新。除中国以外的其他发展中国家（包括印度、东南亚等国）对于超临界、超超临界火电机组有一定的需求，但由于受到自身经济规模和经济发展速度的限制，P92 无缝钢管的需求相对有限。

2014 年以来全球 P92 无缝钢管的供需状况如下：

单位：万吨

市场		2014 年	2015 年	2016 年	2017 年	2018 年
全球	产 能	156.50	156.50	156.50	156.50	156.50
	产 量	4.31	4.65	4.93	5.38	5.28
	需求 量	4.31	4.65	4.93	5.38	5.28
欧盟	产 能	53.00	53.00	53.00	53.00	53.00
	产 量	2.60	2.60	2.80	2.90	3.00
	需求 量	0.30	0.30	0.30	0.30	0.30
美国	产 能	20.00	20.00	20.00	20.00	20.00
	产 量	0.80	0.90	0.90	0.95	1.00
	需求 量	0.05	0.05	0.05	0.05	0.05
日本	产 能	30.00	30.00	30.00	30.00	30.00
	产 量	0.18	0.20	0.20	0.18	0.18
	需求 量	0.03	0.04	0.04	0.03	0.03
除中国以 外其他国 家(地区)	产 能	0	0	0	0	0
	产 量	0	0	0	0	0
	需求 量	0.20	0.20	0.20	0.20	0.20

注：上述产能数据为企业无缝钢管的产能数据。在无缝钢管行业中，通常情况下，无缝钢管生产装置既可以生产 P92 无缝钢管，也可以生产 P21、P22、P23、P36、P91、P122、P911 等其他无缝钢管产品。

附件五：中华人民共和国进出口税则，2014 年—2018 年版

中华人民共和国 海关进出口税则

十位编码·监管条件·申报目录·出口退税·政策法规·海关代征税一览表

2014年中英文对照版(附光盘)

中华人民共和国海关进出口税则 编委会 编

Customs Import and Export Tariff
of the People's Republic of China

Decade Coding of HS, Customs Control Conditions, Declares Contents,
Export Drawback, Regulations, Detailed Customs Duties Levied on Commission Basis

Compiled by the Editorial Department of the Customs
Import and Export Tariff of the People's Republic of China



 经济日报出版社

2014

税则号列	货 品 名 称	最惠 (%)	普通	增值 税率	出口 退税	计量 单位	监管 条件	Article Description
	-钻探石油及天然气用的套管、导管及钻管:							-Casing, tubing and drill pipe, of a kind used in drilling for oil or gas:
	--不锈钢钻管:							--Drill pipe, of stainless steel:
7304.2210	---外径不超过 168.3 毫米	4	17	17	13	千克	A	---Having an outside diameter ≤ 168.3mm
7304.2290	---其他	4	17	17	13	千克	A	---Other
	--其他钻管:							--Other drill pipe:
7304.2310	---外径不超过 168.3 毫米	4	17	17	13	千克	A	---Having an outside diameter ≤ 168.3mm
7304.2390	---其他	4	17	17	13	千克	A	---Other
7304.2400	--其他不锈钢管	4	17	17	13	千克	A	--Other pipe, of stainless steel
	--其他:							--Other:
7304.2910	---屈服强度小于 552 兆帕的	4	17	17	13	千克	A	---Yield strength < 552MPa
7304.2920	---屈服强度大于等于 552 兆帕, 但小于 758 兆帕的	4	17	17	13	千克	A	---552MPa ≤ Yield strength < 758MPa
7304.2930	---屈服强度大于等于 758 兆帕的	4	17	17	13	千克	A	---Yield strength ≥ 758MPa
	-铁或非合金钢的其他圆形截面管:							-Other, of circular cross-section, of iron or non-alloy steel:
	--冷拔或冷轧的:							--Cold-drawn or cold-rolled (cold-reduced):
7304.3110	---锅炉管	4	17	17	9	千克	A	---Boiler tubes and pipes
7304.3120	---地质钻管、套管	8	17	17	9	千克	A	---Geological casing and drill pipes
7304.3190	---其他	4	17	17	9	千克	A	---Other
	--其他:							--Other:
7304.3910	---锅炉管	4	17	17	9	千克	A	---Boiler tubes and pipes
7304.3920	---地质钻管、套管	5	17	17	9	千克	A	---Geological casing and drill pipes
7304.3990	---其他	4	17	17	9	千克	A	---Other
	-不锈钢的其他圆形截面管:							-Other, of circular cross-section, of stainless steel:
	--冷拔或冷轧的:							--Cold-drawn or cold-rolled (cold-reduced):
7304.4110	---锅炉管	10	17	17	9	千克		---Boiler tubes and pipes
7304.4110 01	冷轧的不锈钢制无缝锅炉管(抗拉强度大于等于 550Mpa 屈服强度大于 200Mpa)	10	17	17	9	千克	A	Boiler tube of cold rolled stainless steel (tensile strength ≥ 550Mpa, Yield strength > 200Mpa)
7304.4110 90	其他冷轧的不锈钢制无缝锅炉管(冷拔或冷轧的, 包括内螺纹)	10	17	17	9	千克	A	Other boiler tube of cold rolled stainless steel, cold-drawn or cold-rolled (including internal thread)
7304.4190	---其他	10	40	17	13	千克	A	---Other
	--其他:							--Other:
7304.4910	---锅炉管	10	17	17	13	千克		---Boiler tubes and pipes
7304.4910 01	非冷轧(拔)不锈钢制无缝锅炉管(抗拉强度大于等于 550Mpa 屈服强度大于 200Mpa)	10	17	17	13	千克	A	Boiler tube of non-cold rolled stainless steel (tensile strength ≥ 550Mpa, Yield strength > 200Mpa)
7304.4910 90	其他非冷轧(拔)不锈钢制无缝锅炉管(包括内螺纹)	10	17	17	13	千克	A	Other boiler tube of non-cold rolled stainless steel (including internal thread)
7304.4990	---其他	10	40	17	9	千克	A	---Other
	-其他合金钢的其他圆形截面管:							-Other, of circular cross-section, of other alloy steel:
7304.5110	--冷拔或冷轧的:							--Cold-drawn or cold-rolled (cold-reduced):
7304.5110 01	---锅炉管	4	17	17	9	千克	A	---Boiler tubes and pipes
	高温承压用合金钢无缝钢管(抗拉强度 ≥ 620MPa、屈服强度 ≥ 440MPa)(锅炉管外径 ≥ 127mm, 化学成分 (wt%) 0.07 ≤ C ≤ 0.13, 8.5 ≤ Cr ≤ 9.5, 0.3 ≤ Mo ≤ 0.6, 1.5 ≤ W ≤ 2.0, 冷拔或冷轧, 不论是否经进一步加工, 包括内螺纹)	4	17	17		千克	A	Alloy steel seamless steel tubes for pressure and high temperature (tensile strength, yield strength ≥ 620MPa ≥ 440MPa ≥ 127mm) (boiler tube, the chemical composition (wt%) 0.07 ≤ C ≤ 0.13, 8.5 ≤ Cr ≤ 9.5, 0.3 ≤ Mo ≤ 0.6, 1.5 ≤ W ≤ 2, cold drawn or cold rolled, whether or not after further processing, including the internal thread)
7304.5110 90	冷轧的其他合金钢无缝锅炉管(冷拔或冷轧的, 包括内螺纹)	4	17	17		千克	A	Other alloy steel seamless boiler tubes (cold cold drawn or cold rolled, including internal thread)
7304.5120	---地质钻管、套管	4	17	17	9	千克	A	---Geological casing and drill pipes
7304.5190	---其他	4	17	17	9	千克	A	---Other

税则号列	货 品 名 称	最惠 (%)	普通 (%)	增值 税率	出口 退税	计量 单位	监管 条件	Article Description
7304.5190 01	高温承压用合金钢无缝钢管(抗拉强度 ≥ 620MPa,屈服强度≥ 440MPa)(外径≥ 127mm,化学成分(wt%) 0.07 ≤ C ≤ 0. 13, 8.5 ≤ Cr ≤ 9.5, 0.3 ≤ Mo ≤ 0.6, 1. 5 ≤ W ≤ 2.0,冷拔或冷轧,不论是否经 进一步加工)	4	17	17		千克	A	Alloy steel seamless steel tubes for pressure and high temperature (≥ 620MPa, tensile strength, yield strength ≥ 440MPa) (chemical composition diameter ≥ 127mm, (wt%) 0.07 ≤ C ≤ 0.13, 8.5 ≤ Cr ≤ 9.5, 0.3 ≤ Mo ≤ 0.6, 1.5 ≤ W ≤ 2, cold drawn or cold rolled, whether or not after further pro- cessing)
7304.5190 90	冷轧的其他合金钢制其他无缝管(冷拔 或冷轧的)	4	17	17		千克	A	Other alloy steel cold rolling for other seamless tubes (cold drawn or cold-rolled)
7304.5910	--其他:	4	17	17	9	千克	A	--Other:
7304.5910 01	---锅炉管	4	17	17		千克	A	---Boiler tubes and pipes
7304.5910 01	高温承压用合金钢无缝钢管(抗拉强度 ≥ 620MPa,屈服强度≥ 440MPa)(锅炉管 外径≥ 127mm,化学成分(wt%) 0.07 ≤ C ≤ 0.13, 8.5 ≤ Cr ≤ 9.5, 0.3 ≤ Mo ≤ 0.6, 1.5 ≤ W ≤ 2.0,非冷拔或冷轧,不 论是否经进一步加工)	4	17	17		千克	A	Alloy steel seamless steel tubes for pressure and high temperature (tensile strength, yield strength ≥ 620MPa ≥ 440MPa ≥ 127mm) (boiler tube, the chemical composition (wt%) 0.07 ≤ C ≤ 0.13, 8.5 ≤ Cr ≤ 9.5, 0.3 ≤ Mo ≤ 0.6, 1.5 ≤ W ≤ 2, non cold drawn or cold rolled, whether or not the further engineering)
7304.5910 90	非冷轧其他合金钢无缝锅炉管(非冷拔 或冷轧的)	4	17	17		千克	A	Other non rolled alloy steel seamless boiler tubes (non cold drawn or cold)
7304.5920	---地质钻管、套管	4	17	17	9	千克	A	---Geological casing and drill pipes
7304.5990	---其他	4	17	17	9	千克	A	---Other
7304.5990 01	高温承压用合金钢无缝钢管(抗拉强度 ≥ 620MPa,屈服强度≥ 440MPa)(外径≥ 127mm,化学成分(wt%) 0.07 ≤ C ≤ 0. 13, 8.5 ≤ Cr ≤ 9.5, 0.3 ≤ Mo ≤ 0.6, 1. 5 ≤ W ≤ 2.0,非冷拔或冷轧,不论是否 经进一步加工)	4	17	17		千克	A	Alloy steel seamless steel tubes for pressure and high temperature (≥ 620MPa, tensile strength, yield strength ≥ 440MPa) (chemical composition diameter ≥ 127mm, (wt%) 0.07 ≤ C ≤ 0.13, 8.5 ≤ Cr ≤ 9.5, 0.3 ≤ Mo ≤ 0.6, 1.5 ≤ W ≤ 2, non cold drawn or cold-rolled, whether or not after fur- ther processing)
7304.5990 90	非冷轧其他合金钢制无缝圆形截面管 (非冷拔或冷轧的)	4	17	17		千克	A	Other non rolled alloy steel seamless pipe (non circu- lar cross section of cold drawn or cold rolled)
7304.9000	--其他	4	17	17	9	千克	A	--Other
73.05	其他圆形截面钢铁管(例如,焊、铆及用 类似方法接合的管),外径超过 406.4 毫 米:							Other tubes and pipes (for example, welded, rive- ted or similarly closed), having circular cross-sec- tions, the external diameter of which exceeds 406.4mm, of iron or steel:
7305.1100	--石油或天然气管道管:							--Line pipe of a kind used for oil or gas pipelines:
7305.1200	--纵向埋弧焊接的	7	17	17	13	千克	A	--Longitudinally submerged arc welded
7305.1900	--其他纵向焊接的	3	17	17	13	千克	A	--Other, longitudinally welded
7305.2000	--其他	7	17	17	13	千克	A	--Other
7305.2000	--钻探石油或天然气用套管	7	17	17	13	千克	A	--Casing of a kind used in drilling for oil or gas
7305.3100	--其他焊接的:							--Other, welded:
7305.3100	--纵向焊接的	6	30	17	9	千克	A	--Longitudinally welded
7305.3900	--其他	6	30	17	9	千克	A	--Other
7305.9000	--其他	6	30	17	9	千克	A	--Other
73.06	其他钢铁管及空心异型材(例如,辊缝、 焊、铆及类似方法接合的):							Other tubes, pipes and hollow profiles (for exam- ple, open seam or welded, riveted or similarly closed), of iron or steel:
7306.1100	--石油及天然气管道管:							--Line pipe of a kind used for oil or gas pipelines:
7306.1900	--不锈钢焊缝管	7	17	17	13	千克	A	--Welded, of stainless steel
7306.1900	--其他	7	17	17	13	千克	A	--other
7306.2100	--钻探石油及天然气用的套管及导管:							--Casing and tubing of a kind used in drilling for oil or gas:
7306.2100	--不锈钢焊缝管	3	17	17	13	千克	A	--Welded of stainless steel
7306.2900	--其他	3	17	17	13	千克	A	--Welded other
7306.2900	--铁或非合金钢的其他圆形截面焊缝管:							--Other, welded, of circular cross-section, of iron or non-alloy steel:

税则号列

7306.3011

7306.3019

7306.3090

7306.4000

7306.5000

7306.6100

7306.6900

7306.9000

7306.9000 10

7306.9000 90

73.07

7307.1100

7307.1900

7307.2100

7307.2200

7307.2300

7307.2900

7307.9100

7307.9200

7307.9300

7307.9900

73.08

7308.1000

7308.2000

7308.3000

7308.4000

7308.9000

73.09

7309.000

中华人民共和国 海关进出口税则

十位编码·监管条件·申报目录·出口退税·政策法规·海关代征税一览表

2015年中英文对照版 附光盘

中华人民共和国海关进出口税则 编委会 编

Customs Import and Export Tariff of the People's Republic of China

Decade Coding of HS, Customs Control Conditions, Declare Contents, Export
Drawback, Regulations Detailed Customs Duties Levied on Commission Basis

Compiled by the Editorial Department of the Customs
Import and Export Tariff of the People's Republic of China

经济日报出版社
Economic Daily Press

2059

税则号列	货 品 名 称	最惠 (%)	普通	增值 税率	出口 退税	计量 单位	监管 条件	Article Description
	-钻探石油及天然气用的套管、导管及钻管:							-Casing, tubing and drill pipe, of a kind used in drilling for oil or gas:
	--不锈钢钻管:							--Drill pipe, of stainless steel:
7304. 2210	---外径不超过 168.3 毫米	4	17	17	13	千克	A	---Having an outside diameter ≤ 168.3mm
7304. 2290	---其他	4	17	17	13	千克	A	---Other
	--其他钻管:							--Other drill pipe:
7304. 2310	---外径不超过 168.3 毫米	4	17	17	13	千克	A	---Having an outside diameter ≤ 168.3mm
7304. 2390	---其他	4	17	17	13	千克	A	---Other
7304. 2400	--其他不锈钢管	4	17	17	13	千克	A	--Other pipe, of stainless steel
	--其他:							--Other:
7304. 2910	---屈服强度小于 552 兆帕的	4	17	17	13	千克	A	---Yield strength < 552MPa
7304. 2920	---屈服强度大于等于 552 兆帕, 但小于 758 兆帕的	4	17	17	13	千克	A	---552MPa ≤ Yield strength < 758MPa
7304. 2930	---屈服强度大于等于 758 兆帕的	4	17	17	13	千克	A	---Yield strength ≥ 758MPa
	-铁或非合金钢的其他圆形截面管:							-Other, of circular cross-section, of iron or non-alloy steel:
	--冷拔或冷轧的:							--Cold-drawn or cold-rolled (cold-reduced):
7304. 3110	---锅炉管	4	17	17	9	千克	A	---Boiler tubes and pipes
7304. 3120	---地质钻管、套管	8	17	17	9	千克	A	---Geological casing and drill pipes
7304. 3190	---其他	4	17	17	9	千克	A	---Other
	--其他:							--Other:
7304. 3910	---锅炉管	4	17	17	9	千克	A	---Boiler tubes and pipes
7304. 3920	---地质钻管、套管	5	17	17	9	千克	A	---Geological casing and drill pipes
7304. 3990	---其他	4	17	17	9	千克	A	---Other
	-不锈钢的其他圆形截面管:							-Other, of circular cross-section, of stainless steel:
	--冷拔或冷轧的:							--Cold-drawn or cold-rolled (cold-reduced):
7304. 4110	---锅炉管	10	17	17	9	千克		---Boiler tubes and pipes
7304. 4110 01	冷轧的不锈钢制无缝锅炉管(抗拉强度大于等于 550Mpa 屈服强度大于 200Mpa)	10	17	17	9	千克	A	Boiler tube of cold rolled stainless steel (tensile strength ≥ 550Mpa, Yield strength > 200Mpa)
7304. 4110 90	其他冷轧的不锈钢制无缝锅炉管(冷拔或冷轧的, 包括内螺纹)	10	17	17	9	千克	A	Other boiler tube of cold rolled stainless steel, cold-drawn or cold-rolled (including internal thread)
7304. 4190	---其他	10	40	17	13	千克	A	---Other
	--其他:							--Other:
7304. 4910	---锅炉管	10	17	17	13	千克		---Boiler tubes and pipes
7304. 4910 01	非冷轧(拔)不锈钢制无缝锅炉管(抗拉强度大于等于 550Mpa 屈服强度大于 200Mpa)	10	17	17	13	千克	A	Boiler tube of non-cold rolled stainless steel (tensile strength ≥ 550Mpa, Yield strength > 200Mpa)
7304. 4910 90	其他非冷轧(拔)不锈钢制无缝锅炉管(包括内螺纹)	10	17	17	13	千克	A	Other boiler tube of non-cold rolled stainless steel (including internal thread)
7304. 4990	---其他	10	40	17	9	千克	A	---Other
	-其他合金钢的其他圆形截面管:							-Other, of circular cross-section, of other alloy steel:
	--冷拔或冷轧的:							--Cold-drawn or cold-rolled (cold-reduced):
7304. 5110	---锅炉管	4	17	17	9	千克	A	---Boiler tubes and pipes
7304. 5110 01	高温承压用合金钢无缝管(抗拉强度 ≥ 620MPa、屈服强度 ≥ 440MPa)(锅炉管外径 ≥ 127mm, 化学成分(wt%) 0.07 ≤ C ≤ 0.13, 8.5 ≤ Cr ≤ 9.5, 0.3 ≤ Mo ≤ 0.6, 1.5 ≤ W ≤ 2.0, 冷拔或冷轧, 不论是否经进一步加工, 包括内螺纹)	4	17	17	9	千克	A	Alloy steel seamless steel tubes for pressure and high temperature (tensile strength, yield strength ≥ 620MPa ≥ 440MPa ≥ 127mm) (boiler tube, the chemical composition (wt%) 0.07 ≤ C ≤ 0.13, 8.5 ≤ Cr ≤ 9.5, 0.3 ≤ Mo ≤ 0.6, 1.5 ≤ W ≤ 2, cold drawn or cold rolled, whether or not after further processing, including the internal thread)
7304. 5110 90	冷轧的其他合金钢无缝锅炉管(冷拔或冷轧的, 包括内螺纹)	4	17	17	9	千克	A	Other alloy steel seamless boiler tubes (cold cold drawn or cold rolled, including internal thread)
7304. 5120	---地质钻管、套管	4	17	17	9	千克	A	---Geological casing and drill pipes
7304. 5190	---其他	4	17	17	9	千克	A	---Other

税则号列	货 品 名 称	最惠 (%)	普通	增值 税率	出口 退税	计量 单位	监管 条件	Article Description
7304.5190 01	高温承压用合金钢无缝钢管(抗拉强度 $\geq 620\text{MPa}$ 、屈服强度 $\geq 440\text{MPa}$)(外径 $\geq 127\text{mm}$,化学成分(wt%) $0.07 \leq C \leq 0.13$, $8.5 \leq \text{Cr} \leq 9.5$, $0.3 \leq \text{Mo} \leq 0.6$, $1.5 \leq W \leq 2.0$,冷拔或冷轧,不论是否经进一步加工)	4	17	17	9	千克	A	Alloy steel seamless steel tubes for pressure and high temperature ($\geq 620\text{MPa}$, tensile strength, yield strength $\geq 440\text{MPa}$) (chemical composition diameter $\geq 127\text{mm}$, (wt%) $0.07 \leq C \leq 0.13$, $8.5 \leq \text{Cr} \leq 9.5$, $0.3 \leq \text{Mo} \leq 0.6$, $1.5 \leq W \leq 2$, cold drawn or cold rolled, whether or not after further processing)
7304.5190 90	冷轧的其他合金钢制其他无缝管(冷拔或冷轧的)	4	17	17	9	千克	A	Other alloy steel cold rolling for other seamless tubes (cold drawn or cold-rolled)
7304.5910	--其他:							--Other:
7304.5910 01	---锅炉管	4	17	17	9	千克	A	---Boiler tubes and pipes
7304.5910 01	高温承压用合金钢无缝钢管(抗拉强度 $\geq 620\text{MPa}$ 、屈服强度 $\geq 440\text{MPa}$)(锅炉管外径 $\geq 127\text{mm}$,化学成分(wt%) $0.07 \leq C \leq 0.13$, $8.5 \leq \text{Cr} \leq 9.5$, $0.3 \leq \text{Mo} \leq 0.6$, $1.5 \leq W \leq 2.0$,非冷拔或冷轧,不论是否经进一步加工)	4	17	17	9	千克	A	Alloy steel seamless steel tubes for pressure and high temperature (tensile strength, yield strength $\geq 620\text{MPa} \geq 440\text{MPa} \geq 127\text{mm}$) (boiler tube, the chemical composition (wt%) $0.07 \leq C \leq 0.13$, $8.5 \leq \text{Cr} \leq 9.5$, $0.3 \leq \text{Mo} \leq 0.6$, $1.5 \leq W \leq 2$, non cold drawn or cold rolled, whether or not the further engineering)
7304.5910 90	非冷轧其他合金钢无缝锅炉管(非冷拔或冷轧的)	4	17	17	9	千克	A	Other non rolled alloy steel seamless boiler tubes (non cold drawn or cold)
7304.5920	---地质钻管、套管	4	17	17	9	千克	A	---Geological casing and drill pipes
7304.5990	---其他	4	17	17	9	千克	A	---Other
7304.5990 01	高温承压用合金钢无缝钢管(抗拉强度 $\geq 620\text{MPa}$ 、屈服强度 $\geq 440\text{MPa}$)(外径 $\geq 127\text{mm}$,化学成分(wt%) $0.07 \leq C \leq 0.13$, $8.5 \leq \text{Cr} \leq 9.5$, $0.3 \leq \text{Mo} \leq 0.6$, $1.5 \leq W \leq 2.0$,非冷拔或冷轧,不论是否经进一步加工)	4	17	17	9	千克	A	Alloy steel seamless steel tubes for pressure and high temperature ($\geq 620\text{MPa}$, tensile strength, yield strength $\geq 440\text{MPa}$) (chemical composition diameter $\geq 127\text{mm}$, (wt%) $0.07 \leq C \leq 0.13$, $8.5 \leq \text{Cr} \leq 9.5$, $0.3 \leq \text{Mo} \leq 0.6$, $1.5 \leq W \leq 2$, non cold drawn or cold-rolled, whether or not after further processing)
7304.5990 90	非冷轧其他合金钢制无缝圆形截面管(非冷拔或冷轧的)	4	17	17	9	千克	A	Other non rolled alloy steel seamless pipe (non circular cross section of cold drawn or cold rolled)
7304.9000	-其他	4	17	17	9	千克	A	-Other
73.05	其他圆形截面钢铁管(例如,焊、铆及用类似方法接合的管),外径超过406.4毫米:							Other tubes and pipes (for example, welded, riveted or similarly closed), having circular cross-sections, the external diameter of which exceeds 406.4mm, of iron or steel:
	-石油或天然气管道管:							-Line pipe of a kind used for oil or gas pipelines:
7305.1100	--纵向埋弧焊接的	7	17	17	13	千克	A	--Longitudinally submerged arc welded
7305.1200	--其他纵向焊接的	3	17	17	13	千克	A	--Other, longitudinally welded
7305.1900	--其他	7	17	17	13	千克	A	--Other
7305.2000	-钻探石油或天然气用套管	7	17	17	13	千克	A	-Casing of a kind used in drilling for oil or gas
	-其他焊接的:							-Other, welded:
7305.3100	--纵向焊接的	6	30	17	9	千克	A	--Longitudinally welded
7305.3900	--其他	6	30	17	9	千克	A	--Other
7305.9000	-其他	6	30	17	9	千克	A	-Other
73.06	其他钢铁管及空心异型材(例如,辊缝、焊、铆及类似方法接合的):							Other tubes, pipes and hollow profiles (for example, open seam or welded, riveted or similarly closed), of iron or steel:
	-石油及天然气管道管:							-Line pipe of a kind used for oil or gas pipelines:
7306.1100	--不锈钢焊缝管	7	17	17	13	千克	A	--Welded, of stainless steel
7306.1900	--其他	7	17	17	13	千克	A	--other
	-钻探石油及天然气用的套管及导管:							-Casing and tubing of a kind used in drilling for oil or gas:
7306.2100	--不锈钢焊缝管	3	17	17	13	千克	A	--Welded of stainless steel
7306.2900	--其他	3	17	17	13	千克	A	--Welded other
	-铁或非合金钢的其他圆形截面焊缝管:							-Other, welded, of circular cross-section, of iron or non-alloy steel:

中华人民共和国 海关进出口税则

十位编码·监管条件·申报目录·出口退税·政策法规·海关代征税一览表

2016年中英文对照版 附光盘

中华人民共和国海关进出口税则 编委会 编

Customs Import and Export Tariff of the People's Republic of China

Decade Coding of HS, Customs Control Conditions, Declare Contents, Export
Drawback, Regulations Detailed Customs Duties Levied on Commission Basis

Compiled by the Editorial Department of the Customs
Import and Export Tariff of the People's Republic of China

经济日报出版社
Economic Daily Press

20163

税则号列	货 品 名 称	最惠 (%)	普通	增值 税率	出口 退税	计量 单位	监管 条件	Article Description
	-钻探石油及天然气用的套管、导管及钻管；							-Casing, tubing and drill pipe, of a kind used in drilling for oil or gas;
	--不锈钢钻管：							--Drill pipe, of stainless steel;
7304. 2210	---外径不超过 168.3 毫米	4	17	17	13	千克	A	---Having an outside diameter ≤ 168.3mm
7304. 2290	---其他	4	17	17	13	千克	A	---Other
	--其他钻管：							--Other drill pipe;
7304. 2310	---外径不超过 168.3 毫米	4	17	17	13	千克	A	---Having an outside diameter ≤ 168.3mm
7304. 2390	---其他	4	17	17	13	千克	A	---Other
7304. 2400	--其他不锈钢管	4	17	17	13	千克	A	--Other pipe, of stainless steel
	--其他：							--Other;
7304. 2910	---屈服强度小于 552 兆帕的	4	17	17	13	千克	A	---Yield strength < 552MPa
7304. 2920	---屈服强度大于等于 552 兆帕，但小于 758 兆帕的	4	17	17	13	千克	A	---552MPa ≤ Yield strength < 758MPa
7304. 2930	---屈服强度大于等于 758 兆帕的	4	17	17	13	千克	A	---Yield strength ≥ 758MPa
	-铁或非合金钢的其他圆形截面管：							-Other, of circular cross-section, of iron or non-alloy steel;
	--冷拔或冷轧的：							--Cold-drawn or cold-rolled (cold-reduced);
7304. 3110	---锅炉管	4	17	17	9	千克	A	---Boiler tubes and pipes
7304. 3120	---地质钻管、套管	8	17	17	9	千克	A	---Geological casing and drill pipes
7304. 3190	---其他	4	17	17	9	千克	A	---Other
	--其他：							--Other;
7304. 3910	---锅炉管	4	17	17	9	千克	A	---Boiler tubes and pipes
7304. 3920	---地质钻管、套管	5	17	17	9	千克	A	---Geological casing and drill pipes
7304. 3990	---其他	4	17	17	9	千克	A	---Other
	-不锈钢的其他圆形截面管：							-Other, of circular cross-section, of stainless steel;
	--冷拔或冷轧的：							--Cold-drawn or cold-rolled (cold-reduced);
7304. 4110	---锅炉管	10	17	17	9	千克		---Boiler tubes and pipes
7304. 4110 01	冷轧的不锈钢制无缝锅炉管(抗拉强度大于等于 550MPa 屈服强度大于 200MPa)	10	17	17	9	千克	A	Boiler tube of cold rolled stainless steel (tensile strength ≥ 550MPa, Yield strength > 200MPa)
7304. 4110 90	其他冷轧的不锈钢制无缝锅炉管(冷拔或冷轧的, 包括内螺纹)	10	17	17	9	千克	A	Other boiler tube of cold rolled stainless steel, cold-drawn or cold-rolled (including internal thread)
7304. 4190	---其他	10	40	17	13	千克	A	---Other
	--其他：							--Other;
7304. 4910	---锅炉管	10	17	17	13	千克		---Boiler tubes and pipes
7304. 4910 01	非冷轧(拔) 不锈钢制无缝锅炉管(抗拉强度大于等于 550MPa 屈服强度大于 200MPa)	10	17	17	13	千克	A	Boiler tube of non-cold rolled stainless steel (tensile strength ≥ 550MPa, Yield strength > 200MPa)
7304. 4910 90	其他非冷轧(拔) 不锈钢制无缝锅炉管(包括内螺纹)	10	17	17	13	千克	A	Other boiler tube of non-cold rolled stainless steel (including internal thread)
7304. 4990	---其他	10	40	17	9	千克	A	---Other
	-其他合金钢的其他圆形截面管：							-Other, of circular cross-section, of other alloy steel;
	--冷拔或冷轧的：							--Cold-drawn or cold-rolled (cold-reduced);
7304. 5110	---锅炉管	4	17	17	9	千克	A	---Boiler tubes and pipes
7304. 5110 01	高温承压用合金钢无缝钢管(抗拉强度 ≥ 620MPa、屈服强度 ≥ 440MPa)(锅炉管外径 ≥ 127mm, 化学成分 (wt%) 0.07 ≤ C ≤ 0.13, 8.5 ≤ Cr ≤ 9.5, 0.3 ≤ Mo ≤ 0.6, 1.5 ≤ W ≤ 2.0, 冷拔或冷轧, 不论是否经进一步加工, 包括内螺纹)	4	17	17	9	千克	A	Alloy steel seamless steel tubes for pressure and high temperature (tensile strength, yield strength ≥ 620MPa ≥ 440MPa ≥ 127mm) (boiler tube, the chemical composition (wt%) 0.07 ≤ C ≤ 0.13, 8.5 ≤ Cr ≤ 9.5, 0.3 ≤ Mo ≤ 0.6, 1.5 ≤ W ≤ 2, cold drawn or cold rolled, whether or not after further processing, including the internal thread)
7304. 5110 90	冷轧的其他合金钢无缝锅炉管(冷拔或冷轧的, 包括内螺纹)	4	17	17	9	千克	A	Other alloy steel seamless boiler tubes (cold cold drawn or cold rolled, including internal thread)
7304. 5120	---地质钻管、套管	4	17	17	9	千克	A	---Geological casing and drill pipes
7304. 5190	---其他	4	17	17	9	千克	A	---Other

2067

税则号列	货 品 名 称	最惠 (%)	普通	增值 税率	出口 退税	计量 单位	监管 条件	Article Description
7304.5190 01	高温承压用合金钢无缝钢管(抗拉强度 $\geq 620\text{MPa}$ 、屈服强度 $\geq 440\text{MPa}$)(外径 $\geq 127\text{mm}$,化学成分(wt%) $0.07 \leq C \leq 0.13$ 、 $8.5 \leq \text{Cr} \leq 9.5$ 、 $0.3 \leq \text{Mo} \leq 0.6$ 、 $1.5 \leq W \leq 2.0$,冷拔或冷轧,不论是否经进一步加工)	4	17	17	9	千克	A	Alloy steel seamless steel tubes for pressure and high temperature ($\geq 620\text{MPa}$, tensile strength, yield strength $\geq 440\text{MPa}$) (chemical composition diameter $\geq 127\text{mm}$, (wt%) $0.07 \leq C \leq 0.13$, $8.5 \leq \text{Cr} \leq 9.5$, $0.3 \leq \text{Mo} \leq 0.6$, $1.5 \leq W \leq 2.0$, cold drawn or cold rolled, whether or not after further processing)
7304.5190 90	冷轧的其他合金钢制其他无缝管(冷拔或冷轧的)	4	17	17	9	千克	A	Other alloy steel cold rolling for other seamless tubes (cold drawn or cold-rolled)
7304.5910	--其他:							--Other:
7304.5910 01	--锅炉管	4	17	17	9	千克	A	---Boiler tubes and pipes
7304.5910 01	高温承压用合金钢无缝钢管(抗拉强度 $\geq 620\text{MPa}$ 、屈服强度 $\geq 440\text{MPa}$)(锅炉管外径 $\geq 127\text{mm}$,化学成分(wt%) $0.07 \leq C \leq 0.13$ 、 $8.5 \leq \text{Cr} \leq 9.5$ 、 $0.3 \leq \text{Mo} \leq 0.6$ 、 $1.5 \leq W \leq 2.0$,非冷拔或冷轧,不论是否经进一步加工)	4	17	17	9	千克	A	Alloy steel seamless steel tubes for pressure and high temperature (tensile strength, yield strength $\geq 620\text{MPa} \geq 440\text{MPa} \geq 127\text{mm}$) (boiler tube, the chemical composition (wt%) $0.07 \leq C \leq 0.13$, $8.5 \leq \text{Cr} \leq 9.5$, $0.3 \leq \text{Mo} \leq 0.6$, $1.5 \leq W \leq 2.0$, non cold drawn or cold rolled, whether or not the further engineering)
7304.5910 90	非冷轧其他合金钢无缝锅炉管(非冷拔或冷轧的)	4	17	17	9	千克	A	Other non rolled alloy steel seamless boiler tubes (non cold drawn or cold)
7304.5920	---地质钻管、套管	4	17	17	9	千克	A	---Geological casing and drill pipes
7304.5990	---其他	4	17	17	9	千克	A	---Other
7304.5990 01	高温承压用合金钢无缝钢管(抗拉强度 $\geq 620\text{MPa}$ 、屈服强度 $\geq 440\text{MPa}$)(外径 $\geq 127\text{mm}$,化学成分(wt%) $0.07 \leq C \leq 0.13$ 、 $8.5 \leq \text{Cr} \leq 9.5$ 、 $0.3 \leq \text{Mo} \leq 0.6$ 、 $1.5 \leq W \leq 2.0$,非冷拔或冷轧,不论是否经进一步加工)	4	17	17	9	千克	A	Alloy steel seamless steel tubes for pressure and high temperature ($\geq 620\text{MPa}$, tensile strength, yield strength $\geq 440\text{MPa}$) (chemical composition diameter $\geq 127\text{mm}$, (wt%) $0.07 \leq C \leq 0.13$, $8.5 \leq \text{Cr} \leq 9.5$, $0.3 \leq \text{Mo} \leq 0.6$, $1.5 \leq W \leq 2.0$, non cold drawn or cold-rolled, whether or not after further processing)
7304.5990 90	非冷轧其他合金钢制无缝圆形截面管(非冷拔或冷轧的)	4	17	17	9	千克	A	Other non rolled alloy steel seamless pipe (non circular cross section of cold drawn or cold rolled)
7304.9000	-其他	4	17	17	9	千克	A	-Other
73.05	其他圆形截面钢铁管(例如,焊、铆及用类似方法接合的管),外径超过 406.4 毫米:							Other tubes and pipes (for example, welded, riveted or similarly closed), having circular cross-sections, the external diameter of which exceeds 406.4mm, of iron or steel:
	-石油或天然气管道管:							-Line pipe of a kind used for oil or gas pipelines:
7305.1100	--纵向埋弧焊接的	7	17	17	13	千克	A	--Longitudinally submerged arc welded
7305.1200	--其他纵向焊接的	3	17	17	13	千克	A	--Other, longitudinally welded
7305.1900	--其他	7	17	17	13	千克	A	--Other
7305.2000	-钻探石油或天然气用套管	7	17	17	13	千克	A	-Casing of a kind used in drilling for oil or gas
	-其他焊接的:							-Other, welded:
7305.3100	--纵向焊接的	6	30	17	9	千克	A	--Longitudinally welded
7305.3900	--其他	6	30	17	9	千克	A	--Other
7305.9000	-其他	6	30	17	9	千克	A	-Other
73.06	其他钢铁管及空心异型材(例如,辊缝、焊、铆及类似方法接合的):							Other tubes, pipes and hollow profiles (for example, open seam or welded, riveted or similarly closed), of iron or steel:
	-石油及天然气管道管:							-Line pipe of a kind used for oil or gas pipelines:
7306.1100	--不锈钢焊缝管	7	17	17	13	千克	A	--Welded, of stainless steel
7306.1900	--其他	7	17	17	13	千克	A	--other
	-钻探石油及天然气用的套管及导管:							-Casing and tubing of a kind used in drilling for oil or gas:
7306.2100	--不锈钢焊缝管	3	17	17	13	千克	A	--Welded of stainless steel
7306.2900	--其他	3	17	17	13	千克	A	--Welded other
	-铁或非合金钢的其他圆形截面焊缝管:							-Other, welded, of circular cross-section, of iron or non-alloy steel:

中华人民共和国 海关进出口税则

十位编码·监管条件·申报目录·出口退税·政策法规·海关代征税一览表

2017年中英文对照版 附光盘

中华人民共和国海关进出口税则 编委会 编

Customs Import and Export Tariff of the People's Republic of China

Decade Coding of HS, Customs Control Conditions, Declare Contents, Export
Drawback, Regulations Detailed Customs Duties Levied on Commission Basis

Compiled by the Editorial Department of the Customs
Import and Export Tariff of the People's Republic of China

经济日报出版社
Economic Daily Press

2017

税则号列	货 品 名 称	最惠 (%)	普通	增值 税率	出口 退税	计量 单位	监管 条件	Article Description
7304.1990	---其他 -钻探石油及天然气用的套管、导管及钻管; --不锈钢钻管;	5	17	17	13	千克	A	---Other -Casing, tubing and drill pipe, of a kind used in drilling for oil or gas; --Drill pipe, of stainless steel;
7304.2210	---外径不超过 168.3 毫米	4	17	17	13	千克	A	---Having an outside diameter ≤ 168.3 mm
7304.2290	---其他 --其他钻管;	4	17	17	13	千克	A	---Other --Other drill pipe;
7304.2310	---外径不超过 168.3 毫米	4	17	17	13	千克	A	---Having an outside diameter ≤ 168.3 mm
7304.2390	---其他	4	17	17	13	千克	A	---Other
7304.2400	--其他不锈钢管 --其他;	4	17	17	13	千克	A	--Other pipe, of stainless steel --Other;
7304.2910	---屈服强度小于 552 兆帕的	4	17	17	13	千克	A	---Yield strength < 552 MPa
7304.2920	---屈服强度大于等于 552 兆帕, 但小于 758 兆帕的	4	17	17	13	千克	A	---552MPa $\leq$ Yield strength < 758 MPa
7304.2930	---屈服强度大于等于 758 兆帕的 -铁或非合金钢的其他圆形截面管; --冷拔或冷轧的;	4	17	17	13	千克	A	---Yield strength > 758 MPa -Other, of circular cross-section, of iron or non-alloy steel; --Cold-drawn or cold-rolled (cold-reduced);
7304.3110	---锅炉管	4	17	17	9	千克	A	---Boiler tubes and pipes
7304.3120	---地质钻管、套管	8	17	17	9	千克	A	---Geological casing and drill pipes
7304.3190	---其他 --其他;	4	17	17	9	千克	A	---Other --Other;
7304.3910	---锅炉管	4	17	17	9	千克	A	---Boiler tubes and pipes
7304.3920	---地质钻管、套管	5	17	17	9	千克	A	---Geological casing and drill pipes
7304.3990	---其他 -不锈钢的其他圆形截面管; --冷拔或冷轧的;	4	17	17	9	千克	A	---Other -Other, of circular cross-section, of stainless steel; --Cold-drawn or cold-rolled (cold-reduced);
7304.4110	---锅炉管	10	17	17	9	千克	A	---Boiler tubes and pipes
7304.4190	---其他 --其他;	10	40	17	13	千克	A	---Other --Other;
7304.4910	---锅炉管	10	17	17	13	千克	A	---Boiler tubes and pipes
7304.4990	---其他 -其他合金钢的其他圆形截面管; --冷拔或冷轧的;	10	40	17	9	千克	A	---Other -Other, of circular cross-section, of other alloy steel; --Cold-drawn or cold-rolled (cold-reduced);
7304.5110	---锅炉管	4	17	17	9	千克	A	---Boiler tubes and pipes
7304.5110 01	高温承压用合金钢无缝钢管 (抗拉强度 ≥ 620 MPa, 屈服强度 ≥ 440 MPa) (锅炉管外径 ≥ 127 mm, 化学成分 (wt%) $0.07 \leq C \leq 0.13$, $8.5 \leq Cr \leq 9.5$, $0.3 \leq Mo \leq 0.6$, $1.5 \leq W \leq 2.0$, 冷拔或冷轧, 不论是否经进一步加工, 包括内螺纹)	4	17	17	9	千克	A	Alloy steel seamless steel tubes for pressure and high temperature (tensile strength, yield strength ≥ 620 MPa ≥ 440 MPa ≥ 127 mm) (boiler tube, the chemical composition (wt%) $0.07 \leq C \leq 0.13$, $8.5 \leq Cr \leq 9.5$, $0.3 \leq Mo \leq 0.6$, $1.5 \leq W \leq 2$, cold drawn or cold rolled, whether or not after further processing, including the internal thread)
7304.5110 90	冷轧的其他合金钢无缝锅炉管 (冷拔或冷轧的, 包括内螺纹)	4	17	17	9	千克	A	Other alloy steel seamless boiler tubes (cold cold drawn or cold rolled, including internal thread)
7304.5120	---地质钻管、套管	4	17	17	9	千克	A	---Geological casing and drill pipes
7304.5190	---其他	4	17	17	9	千克	A	---Other

2017

税则号列	货 品 名 称	最惠 (%)	普通	增值 税率	出口 退税	计量 单位	监管 条件	Article Description
7304.5190 01	高温承压用合金钢无缝钢管(抗拉强度 $\geq 620\text{MPa}$ 、屈服强度 $\geq 440\text{MPa}$)(外径 $\geq 127\text{mm}$,化学成分(wt%) $0.07 \leq C \leq 0.13$ 、 $8.5 \leq \text{Cr} \leq 9.5$ 、 $0.3 \leq \text{Mo} \leq 0.6$ 、 $1.5 \leq W \leq 2.0$,冷拔或冷轧,不论是否经进一步加工)	4	17	17	9	千克	A	Alloy steel seamless steel tubes for pressure and high temperature ($\geq 620\text{MPa}$, tensile strength, yield strength $\geq 440\text{MPa}$) (chemical composition diameter $\geq 127\text{mm}$, (wt%) $0.07 \leq C \leq 0.13$, $8.5 \leq \text{Cr} \leq 9.5$, $0.3 \leq \text{Mo} \leq 0.6$, $1.5 \leq W \leq 2$, cold drawn or cold rolled, whether or not after further processing)
7304.5190 90	冷轧的其他合金钢制其他无缝管(冷拔或冷轧的) --其他:	4	17	17	9	千克	A	Other alloy steel cold rolling for other seamless tubes (cold drawn or cold-rolled) --Other:
7304.5910	---锅炉管	4	17	17	9	千克	A	---Boiler tubes and pipes
7304.5910 01	高温承压用合金钢无缝钢管(抗拉强度 $\geq 620\text{MPa}$ 、屈服强度 $\geq 440\text{MPa}$)(锅炉管外径 $\geq 127\text{mm}$,化学成分(wt%) $0.07 \leq C \leq 0.13$ 、 $8.5 \leq \text{Cr} \leq 9.5$ 、 $0.3 \leq \text{Mo} \leq 0.6$ 、 $1.5 \leq W \leq 2.0$,非冷拔或冷轧,不论是否经进一步加工)	4	17	17	9	千克	A	Alloy steel seamless steel tubes for pressure and high temperature (tensile strength, yield strength $\geq 620\text{MPa} \geq 440\text{MPa} \geq 127\text{mm}$) (boiler tube, the chemical composition (wt%) $0.07 \leq C \leq 0.13$, $8.5 \leq \text{Cr} \leq 9.5$, $0.3 \leq \text{Mo} \leq 0.6$, $1.5 \leq W \leq 2$, non cold drawn or cold rolled, whether or not the further engineering)
7304.5910 90	非冷轧其他合金钢无缝锅炉管(非冷拔或冷轧的)	4	17	17	9	千克	A	Other non rolled alloy steel seamless boiler tubes (non cold drawn or cold)
7304.5920	---地质钻管、套管	4	17	17	9	千克	A	---Geological casing and drill pipes
7304.5990	---其他	4	17	17	9	千克	A	---Other
7304.5990 01	高温承压用合金钢无缝钢管(抗拉强度 $\geq 620\text{MPa}$ 、屈服强度 $\geq 440\text{MPa}$)(外径 $\geq 127\text{mm}$,化学成分(wt%) $0.07 \leq C \leq 0.13$ 、 $8.5 \leq \text{Cr} \leq 9.5$ 、 $0.3 \leq \text{Mo} \leq 0.6$ 、 $1.5 \leq W \leq 2.0$,非冷拔或冷轧,不论是否经进一步加工)	4	17	17	9	千克	A	Alloy steel seamless steel tubes for pressure and high temperature ($\geq 620\text{MPa}$, tensile strength, yield strength $\geq 440\text{MPa}$) (chemical composition diameter $\geq 127\text{mm}$, (wt%) $0.07 \leq C \leq 0.13$, $8.5 \leq \text{Cr} \leq 9.5$, $0.3 \leq \text{Mo} \leq 0.6$, $1.5 \leq W \leq 2$, non cold drawn or cold-rolled, whether or not after further processing)
7304.5990 90	非冷轧其他合金钢制无缝圆形截面管(非冷拔或冷轧的)	4	17	17	9	千克	A	Other non rolled alloy steel seamless pipe (non circular cross section of cold drawn or cold rolled)
7304.9000	-其他	4	17	17	9	千克	A	-Other
73.05	其他圆形截面钢铁管(例如,焊、铆及用类似方法接合的管),外径超过 406.4 毫米: -石油或天然气管道管:							Other tubes and pipes (for example, welded, riveted or similarly closed), having circular cross-sections, the external diameter of which exceeds 406.4mm, of iron or steel: -Line pipe of a kind used for oil or gas pipelines:
7305.1100	--纵向埋弧焊接的	7	17	17	13	千克	A	--Longitudinally submerged arc welded
7305.1200	--其他纵向焊接的	3	17	17	13	千克	A	--Other, longitudinally welded
7305.1900	--其他	7	17	17	13	千克	A	--Other
7305.2000	-钻探石油或天然气用套管 -其他焊接的:	7	17	17	13	千克	A	-Casing of a kind used in drilling for oil or gas -Other, welded:
7305.3100	--纵向焊接的	6	30	17	9	千克	A	--Longitudinally welded
7305.3900	--其他	6	30	17	9	千克	A	--Other
7305.9000	-其他	6	30	17	9	千克	A	-Other
73.06	其他钢铁管及空心异型材(例如,辊缝、焊、铆及类似方法接合的): -石油及天然气管道管:							Other tubes, pipes and hollow profiles (for example, open seam or welded, riveted or similarly closed), of iron or steel: -Line pipe of a kind used for oil or gas pipelines:
7306.1100	--不锈钢焊缝管	7	17	17	13	千克	A	--Welded, of stainless steel
7306.1900	--其他	7	17	17	13	千克	A	--other

中华人民共和国 海关进出口税则

十位编码·监管条件·申报目录·出口退税·政策法规·海关代征税一览表

2018年中英文对照版 附光盘

中华人民共和国海关进出口税则 编委会 编

Customs Import and Export Tariff of the People's Republic of China

Decade Coding of HS, Customs Control Conditions, Declare Contents, Export
Drawback, Regulations Detailed Customs Duties Levied on Commission Basis

Compiled by the Editorial Department of the Customs
Import and Export Tariff of the People's Republic of China

经济日报出版社
Economic Daily Press

201831

税则号列	货 品 名 称	最惠 (%)	普通	增值 税率	出口 退税	计量 单位	监管 条件	Article Description
	-钻探石油及天然气用的套管、导管及钻管： --不锈钢钻管：							-Casing, tubing and drill pipe, of a kind used in drilling for oil or gas: --Drill pipe, of stainless steel:
7304.2210	--外径不超过 168.3 毫米	4	17	17	13	千克	A	--Having an outside diameter ≤ 168.3 mm
7304.2290	---其他	4	17	17	13	千克	A	---Other
	--其他钻管：							--Other drill pipe:
7304.2310	--外径不超过 168.3 毫米	4	17	17	13	千克	A	--Having an outside diameter ≤ 168.3 mm
7304.2390	---其他	4	17	17	13	千克	A	---Other
7304.2400	--其他不锈钢管	4	17	17	13	千克	A	--Other pipe, of stainless steel
	--其他：							--Other:
7304.2910	--屈服强度小于 552 兆帕的	4	17	17	13	千克	A	--Yield strength < 552 MPa
7304.2920	--屈服强度大于等于 552 兆帕, 但小于 758 兆帕的	4	17	17	13	千克	A	--552 MPa ≤ Yield strength < 758 MPa
7304.2930	--屈服强度大于等于 758 兆帕的	4	17	17	13	千克	A	--Yield strength ≥ 758 MPa
	-铁或非合金钢的其他圆形截面管：							-Other, of circular cross-section, of iron or non-alloy steel:
	--冷拔或冷轧的：							--Cold-drawn or cold-rolled (cold-reduced):
7304.3110	--锅炉管	4	17	17	9	千克	A	---Boiler tubes and pipes
7304.3120	--地质钻管、套管	8	17	17	9	千克	A	---Geological casing and drill pipes
7304.3190	---其他	4	17	17	9	千克	A	---Other
	--其他：							--Other:
7304.3910	---锅炉管	4	17	17	9	千克	A	---Boiler tubes and pipes
7304.3920	---地质钻管、套管	5	17	17	9	千克	A	---Geological casing and drill pipes
7304.3990	---其他	4	17	17	9	千克	A	---Other
	-不锈钢的其他圆形截面管：							-Other, of circular cross-section, of stainless steel:
	--冷拔或冷轧的：							--Cold-drawn or cold-rolled (cold-reduced):
7304.4110	--锅炉管	10	17	17	9	千克	A	---Boiler tubes and pipes
7304.4190	---其他	10	40	17	13	千克	A	---Other
	--其他：							--Other:
7304.4910	--锅炉管	10	17	17	13	千克	A	---Boiler tubes and pipes
7304.4990	---其他	10	40	17	9	千克	A	---Other
	-其他合金钢的其他圆形截面管：							-Other, of circular cross-section, of other alloy steel:
	--冷拔或冷轧的：							--Cold-drawn or cold-rolled (cold-reduced):
7304.5110	--锅炉管	4	17	17	9	千克	A	---Boiler tubes and pipes
7304.5110 01	高温承压用合金钢无缝钢管(抗拉强度 ≥ 620MPa, 屈服强度 ≥ 440MPa)(锅炉管外径 ≥ 127mm, 化学成分(wt%) 0.07 ≤ C ≤ 0.13, 8.5 ≤ Cr ≤ 9.5, 0.3 ≤ Mo ≤ 0.6, 1.5 ≤ W ≤ 2.0, 冷拔或冷轧, 不论是否经进一步加工, 包括内螺纹)	4	17	17	9	千克	A	Alloy steel seamless steel tubes for pressure and high temperature (tensile strength, yield strength ≥ 620MPa ≥ 440MPa ≥ 127mm) (boiler tube, the chemical composition (wt%) 0.07 ≤ C ≤ 0.13, 8.5 ≤ Cr ≤ 9.5, 0.3 ≤ Mo ≤ 0.6, 1.5 ≤ W ≤ 2, cold drawn or cold rolled, whether or not after further processing, including internal thread)
7304.5110 90	冷轧的其他合金钢无缝锅炉管(冷拔或冷轧的, 包括内螺纹)	4	17	17	9	千克	A	Other alloy steel seamless boiler tubes cold drawn or cold rolled, including internal thread
7304.5120	--地质钻管、套管	4	17	17	9	千克	A	---Geological casing and drill pipes
7304.5190	---其他	4	17	17	9	千克	A	---Other
7304.5190 01	高温承压用合金钢无缝钢管(抗拉强度 ≥ 620MPa, 屈服强度 ≥ 440MPa)(外径 ≥ 127mm, 化学成分(wt%) 0.07 ≤ C ≤ 0.13, 8.5 ≤ Cr ≤ 9.5, 0.3 ≤ Mo ≤ 0.6, 1.5 ≤ W ≤ 2.0, 冷拔或冷轧, 不论是否经进一步加工)	4	17	17	9	千克	A	Alloy steel seamless steel tubes for pressure and high temperature (≥ 620MPa, tensile strength, yield strength ≥ 440MPa) (chemical composition diameter ≥ 127mm, (wt%) 0.07 ≤ C ≤ 0.13, 8.5 ≤ Cr ≤ 9.5, 0.3 ≤ Mo ≤ 0.6, 1.5 ≤ W ≤ 2, cold drawn or cold rolled, whether or not after further processing)
7304.5190 90	冷轧的其他合金钢制其他无缝管(冷拔或冷轧的)	4	17	17	9	千克	A	Other alloy steel cold rolling for other seamless tubes (cold drawn or cold-rolled)
	--其他：							--Other:
7304.5910	---锅炉管	4	17	17	9	千克	A	---Boiler tubes and pipes

2018

税则号列	货 品 名 称	最惠 (%)	普通	增值 税率	出口 退税	计量 单位	监管 条件	Article Description
7304.5910 01	高温承压用合金钢无缝钢管(抗拉强度 $\geq$ 620MPa、屈服强度 $\geq$ 440MPa)(锅炉管外径 $\geq$ 127mm,化学成分(wt%) $0.07 \leq C \leq 0.13$, $8.5 \leq Cr \leq 9.5$, $0.3 \leq Mo \leq 0.6$, $1.5 \leq W \leq 2.0$,非冷拔或冷轧,不论是否经进一步加工)	4	17	17	9	千克	A	Alloy steel seamless steel tubes for pressure and high temperature (tensile strength, yield strength $\geq$ 620MPa $\geq$ 440MPa $\geq$ 127mm) (boiler tube, the chemical composition (wt%) $0.07 \leq C \leq 0.13$, $8.5 \leq Cr \leq 9.5$, $0.3 \leq Mo \leq 0.6$, $1.5 \leq W \leq 2$, non cold drawn or cold rolled, whether or not the further engineering)
7304.5910 90	非冷轧其他合金钢无缝锅炉管(非冷拔或冷轧的)	4	17	17	9	千克	A	Other non rolled alloy steel seamless boiler tubes (non cold drawn or cold)
7304.5920	--地质钻管、套管	4	17	17	9	千克	A	--Geological casing and drill pipes
7304.5990	--其他	4	17	17	9	千克	A	--Other
7304.5990 01	高温承压用合金钢无缝钢管(抗拉强度 $\geq$ 620MPa、屈服强度 $\geq$ 440MPa)(外径 $\geq$ 127mm,化学成分(wt%) $0.07 \leq C \leq 0.13$, $8.5 \leq Cr \leq 9.5$, $0.3 \leq Mo \leq 0.6$, $1.5 \leq W \leq 2.0$,非冷拔或冷轧,不论是否经进一步加工)	4	17	17	9	千克	A	Alloy steel seamless steel tubes for pressure and high temperature ($\geq$ 620MPa, tensile strength, yield strength $\geq$ 440MPa) (chemical composition diameter $\geq$ 127mm, (wt%) $0.07 \leq C \leq 0.13$, $8.5 \leq Cr \leq 9.5$, $0.3 \leq Mo \leq 0.6$, $1.5 \leq W \leq 2$, non cold drawn or cold-rolled, whether or not after further processing)
7304.5990 90	非冷轧其他合金钢制无缝圆形截面管(非冷拔或冷轧的)	4	17	17	9	千克	A	Other non rolled alloy steel seamless pipe (non circular cross section of cold drawn or cold-rolled)
7304.9000	--其他	4	17	17	9	千克	A	--Other
73.05	其他圆形截面钢铁管(例如,焊、铆及用类似方法接合的管),外径超过 406.4 毫米:							Other tubes and pipes (for example, welded, riveted or similarly closed), having circular cross-sections, the external diameter of which exceeds 406.4mm, of iron or steel:
	--石油或天然气管道管:							--Line pipe of a kind used for oil or gas pipelines
7305.1100	--纵向埋弧焊接的	7	17	17	13	千克	A	--Longitudinally submerged arc welded
7305.1200	--其他纵向焊接的	3	17	17	13	千克	A	--Other, longitudinally welded
7305.1900	--其他	7	17	17	13	千克	A	--Other
7305.2000	--钻探石油或天然气用套管	7	17	17	13	千克	A	--Casing of a kind used in drilling for oil or gas
	--其他焊接的:							--Other, welded:
7305.3100	--纵向焊接的	6	30	17	9	千克	A	--Longitudinally welded
7305.3900	--其他	6	30	17	9	千克	A	--Other
7305.9000	--其他	6	30	17	9	千克	A	--Other
73.06	其他钢铁管及空心异型材(例如,辊缝、焊、铆及类似方法接合的):							Other tubes, pipes and hollow profiles (for example, open seam or welded, riveted or similarly closed), of iron or steel:
	--石油及天然气管道管:							--Line pipe of a kind used for oil or gas pipelines
7306.1100	--不锈钢焊缝管	7	17	17	13	千克	A	--Welded, of stainless steel
7306.1900	--其他	7	17	17	13	千克	A	--other
	--钻探石油及天然气用的套管及导管:							--Casing and tubing of a kind used in drilling for oil or gas:
7306.2100	--不锈钢焊缝管	3	17	17	13	千克	A	--Welded of stainless steel
7306.2900	--其他	3	17	17	13	千克	A	--Welded other
	--铁或非合金钢的其他圆形截面焊缝管:							--Other, welded, of circular cross-section, of iron or non-alloy steel:
	---外径不超 10 毫米的:							---Having an Outside diameter not exceeds 10mm:
7306.3011	---壁厚在 0.7 毫米及以下	3	30	17	13	千克		---Having a wall thickness of 0.7mm or less
7306.3019	---其他	3	30	17	9	千克		---Other
7306.3090	---其他	3	30	17	9	千克		---Other
7306.4000	--不锈钢的其他圆形截面细焊缝管	6	30	17	9	千克		--Other, welded, of circular cross-section, of stainless steel
7306.5000	--其他合金钢的圆形截面细焊缝管	3	30	17	9	千克		--Other, welded, of circular cross-section, of other alloy steel
	--非圆形截面的其他焊缝管:							--Other, welded, of non-circular cross-section:
7306.6100	--矩形或正方形截面的	3	30	17	9	千克		--Of square or rectangular cross-section
7306.6900	--其他非圆形截面的	3	30	17	9	千克		--Of other non-circular cross section
7306.9000	--其他	6	30	17	9	千克		--Other

简体 | 繁体 | English



国家税务总局

State Administration of Taxation

请输入关键字



本站热词：营改增 放管服 小微企业 出口退税 便民服务

总局概况

信息公开

新闻发布

税收政策

纳税服务

税务视频

互动交流

您所在的位置： 首页 > 税收政策 > 最新文件

财政部 税务总局

关于调整增值税税率的通知

财税〔2018〕32号

【字体：大 中 小】 打印本页

各省、自治区、直辖市、计划单列市财政厅（局）、国家税务局、地方税务局，新疆生产建设兵团财政局：

为完善增值税制度，现将调整增值税税率有关政策通知如下：

一、纳税人发生增值税应税销售行为或者进口货物，原适用17%和11%税率的，税率分别调整为16%、10%。

二、纳税人购进农产品，原适用11%扣除率的，扣除率调整为10%。

三、纳税人购进用于生产销售或委托加工16%税率货物的农产品，按照12%的扣除率计算进项税额。

四、原适用17%税率且出口退税率为17%的出口货物，出口退税率调整至16%。原适用11%税率且出口退税率

为11%的出口货物、跨境应税行为，出口退税率调整至10%。

五、外贸企业2018年7月31日前出口的第四条所涉货物、销售的第四条所涉跨境应税行为，购进时已按调整前税率征收增值税的，执行调整前的出口退税率；购进时已按调整后税率征收增值税的，执行调整后的出口退税率。生产

企业2018年7月31日前出口的第四条所涉货物、销售的第四条所涉跨境应税行为，执行调整前的出口退税率。

调整出口货物退税率的执行时间及出口货物的时间，以出口货物报关单上注明的出口日期为准，调整跨境应税行为

退税率的执行时间及销售跨境应税行为的时间，以出口发票的开具日期为准。

六、本通知自2018年5月1日起执行。此前有关规定与本通知规定的增值税税率、扣除率、出口退税率不一致的，以

本通知为准。

七、各地要高度重视增值税税率调整工作，做好实施前的各项准备以及实施过程中的监测分析、宣传解释等工作，

确保增值税税率调整工作平稳、有序推进。如遇问题，请及时上报财政部和税务总局。

财政部 税务总局

2018年4月4日

网站纠错

相关链接

附件六：P92 无缝钢管市场调查报告

非保密概要

本附件为申请人从第三方机构有偿获得的P92无缝钢管市场信息调研报告，基于保密义务的限制，申请人申请对该证据材料进行保密处理，不予全文对外披露，但申请人提供如下非保密性概要：

一、欧盟和美国 P92 无缝钢管的产品概况

P92 无缝钢管属于高端合金钢无缝钢管，具有较强的的高温强度和抗蠕变性能，主要用于超临界、超超临界电站锅炉和电站汽水管道上。

二、欧盟和美国 P92 无缝钢管对中国的出口价格

2014 年以来，欧盟和美国 P92 无缝钢管对中国市场的出口价格情况如下：

单位：美元/吨

期 间	欧 盟	美 国
2014 年	6,511	7,276
2015 年	6,190	7,062
2016 年	5,393	6,297
2017 年	5,804	5,984
2018 年	6,025	5,936

三、欧盟和美国 P92 无缝钢管在本土市场上的销售价格

2018 年各个季度，欧盟和美国 P92 无缝钢管在其本土市场的平均销售价格情况如下：

期 间	欧 盟（欧元/吨）	美 国（美元/吨）
2018 年 1 季度	8,450	10,950
2018 年 2 季度	8,450	10,550
2018 年 3 季度	8,700	10,650
2018 年 4 季度	8,600	10,450

附件七：海运费和保险费报价

关于海运费和保险费的情况说明

申请人暂无法获得 P92 无缝钢管产品从欧盟、美国到中国的实际海运费和保险费。为了对出口价格所包含的海运费和保险费进行合理调整，申请人暂以初步获得的德国（汉堡港）、美国（纽约港）到中国（上海港）的海运费和中国到德国、美国的保险费作为基础对出口价格进行调整。

根据全球运费网（<http://www.worldfreightrates.com>）的报价，40 尺集装箱货柜从德国汉堡港到中国上海的海运费为 3,584.87-3,962.23 美元（平均 3,774 美元），美国纽约港到中国上海港的海运费为 3,835.43-4,239.16 美元（平均 4,037 美元）。

按照每个 40 呎的集装箱货柜大约可以装运 21 吨 P92 无缝钢管产品计算，欧盟申请调查产品的平均运费单价为 180 美元/吨，美国申请调查产品的平均海运费为 192 美元/吨。

根据中国国际海运网的报价，德国和美国到中国的保险费率为 0.45%。按照国际惯例，根据货物 CIF 价值的 110% 进行计算，所以欧盟和美国的保险费等于 $CIF \times 110\% \times 0.45\%$ 。

相关证据请参见后附的材料。



Freight Calculator

Find out freight rate estimates for port-to-port Ocean shipments (Containerized, Break Bulk, and Project Cargo) from anywhere, to anywhere in the world, and Trucking in North America and the European Union (exclusive of the Scandinavian countries). Air shipments will depend on the specific locations, but we hope to have full coverage for these and additional trucking options soon.

德国汉堡港到中国上海港

1. SELECT METHOD OF SHIPPING



Containerized



Break Bulk



Project Cargo/
Heavy Lift



Truck



Air

Feedback

2. SELECT LOCATIONS

Hamburg, Germany

Shanghai, China

Mechanical & Fabrication Parts

Before entering the Commodity Value, please select the Load Type of either FCL or LCL.

\$150,000

3. SELECT LOAD

☒ FCL

Container Type 40 FT

☐ LCL

☐ Refrigerated

4. ACCESSORIAL CHARGES

☐ Hazardous

☐ Add Insurance

GET RATE

Current Market Rate Estimate

\$3,584.87 – \$3,962.23

Subject to additional fees such as taxes, duties, etc..

Note:

To those shippers who have filled out actual rate requests in the past and had them forwarded onto the freight forwarders in our network so that they could provide you with a more complete quote, we are temporarily suspending that feature on our web site.

We are in the process of automating and streamlining this process so that we can provide you with even more information than before, and your requests will be immediately sent to forwarders who have the specific capabilities to handle your shipment, or you will be notified that at the present time we don't have a forwarder in our network that can.



美国纽约港到中国上海港

Freight Calculator

Find out freight rate estimates for port-to-port Ocean shipments (Containerized, Break Bulk, and Project Cargo) from anywhere, to anywhere in the world, and Trucking in North America and the European Union (exclusive of the Scandinavian countries). Air shipments will depend on the specific locations, but we hope to have full coverage for these and additional trucking options soon.

1. SELECT METHOD OF SHIPPING



Containerized



Break Bulk

Project Cargo/
Heavy Lift

Truck



Air

Feedback

2. SELECT LOCATIONS

New York, United States

Shanghai, China

Mechanical & Fabrication Parts

Before entering the Commodity Value, please select the Load Type of either FCL or LCL.

\$150,000

3. SELECT LOAD

☒ FCL [?](#)

Container Type 40 FT

☐ LCL [?](#)☐ Refrigerated [?](#)

4. ACCESSORIAL CHARGES

☐ Hazardous☐ Add Insurance

GET RATE

Current Market Rate Estimate

\$3,835.43 – \$4,239.16

Subject to additional fees such as taxes, duties, etc..

Note:

To those shippers who have filled out actual rate requests in the past and had them forwarded onto the freight forwarders in our network so that they could provide you with a more complete quote, we are temporarily suspending that feature on our web site.

We are in the process of automating and streamlining this process so that we can provide you with even more information than before, and your requests will be immediately sent to forwarders who have the specific capabilities to handle your shipment, or you will be notified that at the present time we don't have a forwarder in our network that can.



[首页](#)
»
[航贸参数](#)
»
[进口货运保险普通货物费率表](#)

进口货运保险普通货物费率表

添加新百科 获积分奖励
 [【我来添加】](#)

（一）所有进口货物均按本费率表计算保险费，但如在指明货物费率表中的货物，承保一切险时还须加上指明货物费率计算保险费。有特殊规定的按特殊规定计收。

（二）各种散装货物以及化肥、糖、粮谷、木材、油（包括油料）、活牲畜、新鲜果菜，其保险责任均至卸货港口仓库或场地时终止。上述货物如需从港口转运到内地还需按转运内地费率加费的规定加费。

（三）本表系按每百元计算。

(1)海运

地区	平安险 F . P . A	水渍险 W . A	一切险 A . R .
台湾、香港、澳门、南朝鲜、日本	0 . 08	0.12	0.25
大洋洲及亚洲国家和地区	0 . 10	0.15	0.35
加拿大、美国、欧洲	0 . 15	0.20	0.45
非洲及中南美洲	0 . 20	0.25	0.50

(2)陆运

地区	陆运	陆运一切险
香港、澳门	0 . 07	0 . 20
其它地区	0 . 15	0 . 40

(3)空运

地区	航空运输险	航空一切险
香港、澳门、台湾、日本、南朝鲜	0 . 10	0 . 25
其他世界各地	0 . 20	0 . 45

(4)邮包

目的地	邮包险	邮包一切险
香港、澳门、台湾、日本、南朝鲜	0 . 10	0 . 25

24小时新闻排行

- 1 . 14艘打包！希腊船东“地板价”...
- 2 . 中巴签署瓜达尔港40年协议 中...
- 3 . 干散货板块：新造船价格略有上扬
- 4 . 穿山港区撑起宁波舟山港集装箱吞...
- 5 . 欧盟港口疏通改革之路
- 6 . 新阳升2016年同比扭亏为盈
- 7 . 民调：73%日本人认为政府懈怠...
- 8 . 应对皇室成员减少等 日本筹划出...
- 9 . 英国大选在即 首相所在保守党支...
- 10 . 法国大选:马克龙、勒庞得票率居...

在线视频

- 辽宁卫视《辽宁新闻联播》报道第六届海峰类别:媒体报道
- 大连财经频道《大连经济报道》关注货代平类别:
- 大连电视台《大连新闻》报道第六届海峰类别:媒体报道
- 东方卫视报道第五届全球海运峰会类别:媒体报道

航贸百科

危险货物标志

危险化学品标志

国际危规:

附件八：世界银行集团关于欧盟和美国的贸易环节费用报告

关于欧盟和美国境内环节费用的情况说明

根据世界银行组织披露的报告，欧盟和美国的出口贸易环节费用如下：

单位：美元

国 家（地区）	出口边境 合规费用	出口单证 合规费用	内陆运费	境内环节 费用合计
欧盟	345	45	600	990
美国	175	60	1,361	1,596

按 40 尺集装箱装载 21 吨 P92 无缝钢管产品计算，欧盟和美国申请调查产品的境内环节费用分别为 47 美元/吨和 76 美元/吨。

相关证据请参见后附的材料。

DOING BUSINESS

Measuring Business Regulations

Data / Germany


Ease of Doing Business in Germany



Download Profile


(1553.9 KB, pdf)

Region	OECD high income
Income Category	High income
Population	82,667,685
GNI Per Capita (US\$)	43,660
City Covered	Berlin



DB 2018 Distance to Frontier (DTF)

Arrow OR Radar



Note: The distance to frontier (DTF) measure shows the distance of each economy to the “frontier,” which represents the best performance observed on each of the indicators across all economies in the *Doing Business* sample since 2005. An economy’s distance to frontier is reflected on a scale from 0 to 100, where 0 represents the lowest performance and 100 represents the frontier. The ease of doing business ranking ranges from 1 to 190.

Grid OR Chart

Topics	DB 2018 Rank	DB 2018 DTF	DB 2017 DTF ⓘ	Change in DTF (% points)
Overall	20	79.00	79.19	↓ 0.19
Starting a Business	113	83.46	83.42	↑ 0.04
Dealing with Construction Permits	24	78.16	78.14	↑ 0.02
Getting Electricity	5	98.79	98.79	..
Registering Property	77	65.71	65.72	↓ 0.01
Getting Credit	42	70.00	70.00	..
Protecting Minority Investors	62	58.33	58.33	..
Paying Taxes	41	82.14	82.16	↓ 0.02
Trading across Borders	39	91.77	91.77	..
Enforcing Contracts	22	71.32	71.32	..

Topics	DB 2018 Rank	DB 2018 DTF	DB 2017 DTF ⓘ	Change in DTF (% points)
Resolving Insolvency	4	90.27	92.28	↓ 2.01

✔= Doing Business reform making it easier to do business. ✖= Change making it more difficult to do business.

Click here to see all reforms made by Germany.

Trading across Borders - Germany

Indicator	Germany	OECD high income	Overall Best Performer
Time to export: Border compliance (hours) ⓘ	36	12.7	0 (17 Economies)
Cost to export: Border compliance (USD) ⓘ 出口边境合规费用	345	149.9	0.00 (19 Economies)
Time to export: Documentary compliance (hours) ⓘ	1	2.4	1.0 (25 Economies)
Cost to export: Documentary compliance (USD) ⓘ 出口单证合规费用	45	35.4	0.00 (19 Economies)
Time to import: Border compliance (hours) ⓘ	0	8.7	0.00 (21 Economies)
Cost to import: Border compliance (USD) ⓘ	0	111.6	0.00 (27 Economies)
Time to import: Documentary compliance (hours) ⓘ	1	3.5	1.0 (30 Economies)
Cost to import: Documentary compliance (USD) ⓘ	0	25.6	0.00 (30 Economies)

► Figure – Trading across Borders in Germany and comparator economies – Ranking and DTF

► Figure – Trading across Borders in Germany – Time and Cost

▼ Details – Trading across Borders in Germany

Characteristics	Export	Import
Product	HS 84 : Nuclear reactors, boilers, machinery and mechanical appliances; parts thereof	HS 8708: Parts and accessories of motor vehicles
Trade partner	China	Czech Republic
Border	Hamburg port	Germany- Czech Republic border crossing
Distance (km)	290	310
Domestic transport time (hours)	4	5
Domestic transport cost (USD)	600 内陆运费	520

► Details – Trading across Borders in Germany – Components of Border Compliance

► Details – Trading across Borders in Germany – Trade Documents

DOING BUSINESS

Measuring Business Regulations

Data / United States


Ease of Doing Business in United States



Download Profile


(1911.7 KB, pdf)

Region	OECD high income
Income Category	High income
Population	323,127,513
GNI Per Capita (US\$)	56,180
City Covered	New York City



DB 2018 Distance to Frontier (DTF)

Arrow OR Radar



Note: The distance to frontier (DTF) measure shows the distance of each economy to the “frontier,” which represents the best performance observed on each of the indicators across all economies in the *Doing Business* sample since 2005. An economy’s distance to frontier is reflected on a scale from 0 to 100, where 0 represents the lowest performance and 100 represents the frontier. The ease of doing business ranking ranges from 1 to 190.

Grid OR Chart

Topics	DB 2018 Rank	DB 2018 DTF	DB 2017 DTF ⓘ	Change in DTF (% points)
Overall	6	82.54	82.55	↓ 0.01
Starting a Business	49	91.23	91.23	..
Dealing with Construction Permits	36	75.77	75.74	↑ 0.03
Getting Electricity	49	82.14	82.14	..
Registering Property	37	76.80	76.80	..
Getting Credit	2	95.00	95.00	..
Protecting Minority Investors	42	64.67	64.67	..
Paying Taxes	36	84.13	84.08	↑ 0.05
Trading across Borders	36	92.01	92.01	..
Enforcing Contracts	16	72.61	72.61	..
Resolving Insolvency	3	91.07	91.18	↓ 0.11

Trading across Borders - New York City

Indicator	New York City	OECD high income	Overall Best Performer
Time to export: Border compliance (hours) ⓘ	1.5	12.7	0 (17 Economies)
Cost to export: Border compliance (USD) ⓘ 出口边境合规费用	175	149.9	0.00 (19 Economies)
Time to export: Documentary compliance (hours) ⓘ	1.5	2.4	1.0 (25 Economies)
Cost to export: Documentary compliance (USD) ⓘ 出口单证合规费用	60	35.4	0.00 (19 Economies)
Time to import: Border compliance (hours) ⓘ	1.5	8.7	0.00 (21 Economies)
Cost to import: Border compliance (USD) ⓘ	175	111.6	0.00 (27 Economies)
Time to import: Documentary compliance (hours) ⓘ	7.5	3.5	1.0 (30 Economies)
Cost to import: Documentary compliance (USD) ⓘ	100	25.6	0.00 (30 Economies)

► Figure – Trading across Borders in United States and comparator economies – Ranking and DTF

► Figure – Trading across Borders in New York City – Time and Cost

▼ Details – Trading across Borders in New York City

Characteristics	Export	Import
Product	HS 84 : Nuclear reactors, boilers, machinery and mechanical appliances; parts thereof	HS 8708: Parts and accessories of motor vehicles
Trade partner	Canada	Mexico
Border	Buffalo border crossing	Laredo border crossing
Distance (km)	600	3192
Domestic transport time (hours)	24	109
Domestic transport cost (USD)	1361 内陆运费	4373

► Details – Trading across Borders in New York City – Components of Border Compliance

► Details – Trading across Borders in New York City – Trade Documents

附件九：汇率说明

汇率说明

申请人从外汇网站 <http://fxtop.com> 了解到，2018 年欧元兑美元的平均汇率如下：

期间	欧元兑美元
2018 年	1.1810

申请人从中国人民银行网 <http://www.pbc.gov.cn> 了解到，2014 年至 2018 年美元兑人民币的平均汇率变化如下：

期间	美元兑人民币
2014 年	6.1431
2015 年	6.2272
2016 年	6.6401
2017 年	6.7463
2018 年	6.6117

相关证据请参见后附的材料。

Source amount : 1

1st currency : (Index Inflation)

2nd currency : (Index Inflation)

EUR Euroland [Euro / €]

USD United States [US dollar / \$]

Day :

Month :

Year :

Reference (daily)

Candlestick chart

Logarithmic scale

Start Date:

1

01 - January

2018

Moving averages :

1 month

3 months

1 year

End Date:

31

12 - December

2018

Refresh

Auto

fxtop 2019 1.2493 EUR / USD First 1.1993 Last 1.1450 Change -4.53% Avg 1.1810 Volat 7.44 MaxMin 10.94%



汇率
Exchange Rate

项目 Item	2014. 01	2014. 02	2014. 03	2014. 04	2014. 05	2014. 06	2014. 07	2014. 08	2014. 09	2014. 10	2014. 11	2014. 12
一特别提款权单位折合人民币元（期末数） Yuan per SDR (End of Period)	9.3663	9.4723	9.5089	9.5430	9.5039	9.5116	9.4444	9.3604	9.1216	9.0860	8.9824	8.8653
一美元折合人民币（期末数） Yuan per US Dollar (End of Period)	6.1050	6.1214	6.1521	6.1580	6.1695	6.1528	6.1675	6.1647	6.1525	6.1461	6.1345	6.1190
一美元折合人民币（平均数） Yuan per US Dollar (Period Average)	6.1043	6.1128	6.1358	6.1553	6.1636	6.1636	6.1569	6.1606	6.1528	6.1441	6.1432	6.1238

汇率
Exchange Rate

项目 Item	2015. 01	2015. 02	2015. 03	2015. 04	2015. 05	2015. 06	2015. 07	2015. 08	2015. 09	2015. 1	2015. 11	2015. 12
一特别提款权单位折合人民币元（期末数） Yuan per SDR（End of Period）	8.6519	8.6519	8.4731	8.5984	8.5093	8.5982	8.5317	8.9693	8.9296	8.8694	8.7767	8.9984
一美元折合人民币（期末数） Yuan per US Dollar（End of Period）	6.137	6.1475	6.1422	6.1137	6.1196	6.1136	6.1172	6.3893	6.3613	6.3495	6.3962	6.4936
一美元折合人民币（平均数） Yuan per US Dollar（Period Average）	6.1272	6.1339	6.1507	6.1302	6.1143	6.1161	6.1167	6.3056	6.3691	6.3486	6.3666	6.4476

汇率
Exchange Rate

项目 Item	2016. 01	2016. 02	2016. 03	2016. 04	2016. 05	2016. 06	2016. 07	2016. 08	2016. 09	2016. 10	2016. 11	2016. 12
—特别提款权单位折合人民币元（期末数） Yuan per SDR（End of Period）	9.0445	9.0215	9.1027	9.1789	9.2295	9.276	9.2675	9.3293	9.3209	9.2929	9.3227	9.3256
—美元折合人民币（期末数） Yuan per US Dollar（End of Period）	6.5516	6.5452	6.4612	6.4589	6.579	6.6312	6.6511	6.6908	6.6778	6.7641	6.8865	6.937
—美元折合人民币（平均数） Yuan per US Dollar（Period Average）	6.5527	6.5311	6.5064	6.4762	6.5315	6.5874	6.6774	6.6474	6.6715	6.7442	6.8375	6.9182

汇率
Exchange Rate

[illegible]

Exchange Rate

项目 Item	2018.01	2018.02	2018.03	2018.04	2018.05	2018.06	2018.07	2018.08	2018.09	2018.10	2018.11	2018.12
一特别提款权单位折合人民币元（期末数） Yuan per SDR （ End of Period ）	9.2293	9.1516	9.142	9.1162	9.0694	9.3067	9.5763	9.5639	9.5982	9.5732	9.5928	9.5760
一美元折合人民币（期末数） Yuan per US Dollar （ End of Period ）	6.3339	6.3294	6.2881	6.3393	6.4144	6.6166	6.8165	6.8246	6.8792	6.9646	6.9357	6.8632
一美元折合人民币（平均数） Yuan per US Dollar （ Period Average ）	6.4364	6.3162	6.322	6.2975	6.3758	6.4556	6.7034	6.8433	6.8448	6.9246	6.9351	6.8853

附件十： 申请人财务数据和报表

非保密概要

本附件提供了本案申请人2014年-2018年同类产品的生产能力、产量、开工率、库存、销售数量、销售收入、销售价格、税前利润、投资收益率、工资就业以及劳动生产率等数据。同时，该附件还提供了申请人在2014年-2018年期间的相关财务报表。

鉴于申请人同类产品的相关数据以及财务报表涉及申请人的商业秘密，这些数据的披露将对申请人造成严重不利影响，故申请保密不再列出。申请人以指数形式表示数据的变化趋势，首期间2014年的指数设定为100或-100，之后各期间按照与2014年的实际数据比乘以2014年的指数计算。同时，申请人辅以数值区间的方式对上述数据予以披露。

申请人相关经济、财务指标 - 北方重工

1、在下列每一期间 P92 无缝钢管的产能、产量和开工率数据

单位：吨

期间	产能	产量	开工率
2014 年	【100】 30,000-90,000	【100】 1,000-7,000	【100】 3%-40%
2015 年	【100】 30,000-90,000	【58】 585- 4,094	【58】 2%-23%
2016 年	【100】 30,000-90,000	【88】 875- 6,125	【88】 3%-35%
2017 年	【100】 30,000-90,000	【225】 2,253- 15,773	【225】 7%-90%
2018 年	【100】 30,000-90,000	【140】 1,398-9,788	【140】 4%-56%

注：开工率=产量/产能。

2、在以下每一期间 P92 无缝钢管的销售数量、自用量数据

单位：吨

期间	国内销售数量	出口销售数量	总销售数量
2014 年	【100】 1,000-7,000	0	【100】 1,000-7,000
2015 年	【54】 539-3,771	0	【54】 539-3,771
2016 年	【76】 736-5,339	0	【76】 736-5,339
2017 年	【219】 2,191-15,344	0	【219】 2,191-15,344
2018 年	【134】 1,336-9,354	0	【134】 1,336-9,354

注：总销售数量=国内销售数量 + 出口销售数量。

3、在以下每一期间 P92 无缝钢管的销售收入净额数据（不含税）

单位：万元

期间	国内销售收入	出口销售收入	总销售收入
2014 年	【100】 10,000-25,000	0	【100】 10,000-25,000
2015 年	【55】 5,454-13,635	0	【55】 5,454-13,635
2016 年	【71】 7,078-17,696	0	【71】 7,078-17,696
2017 年	【195】 19,527-48,817	0	【195】 19,527-48,817
2018 年	【121】 12,113-30,283	0	【121】 12,113-30,283

注：总销售收入=国内销售收入 + 出口销售收入。

4、在以下每一期间 P92 无缝钢管的销售价格（不含增值税）

单位：元/吨

期间	国内加权平均销售价格	出口加权平均销售价格
2014 年	【100】 30,000-60,000	0
2015 年	【101】 30,376-60,752	0
2016 年	【93】 27,843-55,685	0
2017 年	【89】 26,724-53,448	0
2018 年	【91】 27,195-54,389	0

注：销售价格=销售收入/销售数量

5、在下列每一期间 P92 无缝钢管的期末库存数据

单位：吨

期间	期末库存
2014 年	【100】 0-300
2015 年	【438】 0-1,315
2016 年	【1440】 0-4,319
2017 年	【1398】 0-4,195
2018 年	【1649】 0-4,947

6、在下列每一期间 P92 无缝钢管的营业税金及附加数据

单位：万元

期间	公司主营业务收入	P92 无缝钢管 总销售收入净额	分摊比例	公司营业税金及 附加	P92 无缝钢管 应摊金及附加
2014 年	【100】	【100】 10,000-25,000	【100】 1.00%-10.00%	【100】 100 - 1,000	【100】 1- 50
2015 年	【97】	【55】 5,454-13,635	【56】 0.56%-5.62%	【1033】 1,033 - 10,329	【580】 6- 290
2016 年	【30】	【71】 7,078-17,696	【233】 2.33%-23.33%	【21】 21 - 206	【48】 0 -24
2017 年	【75】	【195】 19,527-48,817	【260】 2.60%-26.01%	【1242】 1,242 -12,424	【3231】 32-1,616
2018 年	【71】	【121】 12,113-30,283	【170】 1.70%-17.05%	【1730】 1,730 -17,301	【2950】 29-1,475

注：分摊比例=P92 无缝钢管总销售收入/公司主营业务收入

P92 无缝钢管应摊的税金及附加=公司营业税金及附加*分摊比例

7、在下列每一期间公司的期间费用

单位：万元

期间	销售费用	管理费用	财务费用	合计
2014 年	【100】 1,000-3,000	【100】 20,000-40,000	【100】 20,000-40,000	【100】 50,000-70,000
2015 年	【68】 678-2,034	【98】 19,645-64,370	【118】 23,699-47,398	【108】 53,840-75,376
2016 年	【41】 413-1,239	【141】 28,155-97,121	【109】 21,825-43,649	【118】 59,132-82,785
2017 年	【57】 569-1,708	【133】 26,623-101,240	【108】 21,611-43,221	【115】 57,713 -80,798
2018 年	【60】 599-1,797	【184】 36,837-108,892	【105】 21,085-42,170	【135】 67,332 -94,265

8、在下列每一期间 P92 无缝钢管分摊的期间费用

单位：万元

期间	公司主营业务收入	P92 无缝钢管 总销售收入	分摊 比例	公司期间费用 合计	P92 无缝钢管 应摊的期间费用
2014 年	【100】	【100】 5,000 - 25,000	【100】 1.00%-10.00%	【100】 50000-70000	【100】 500-2,500
2015 年	【97】	【55】 2,727 - 13,635	【56】 0.56%-5.62%	【108】 53,840-75,376	【60】 302-1,512
2016 年	【30】	【71】 3,539 - 17,696	【233】 2.33%-23.33%	【118】 59,132-82,785	【276】 1,380-6,898
2017 年	【75】	【195】 9,763 - 48,817	【260】 2.60%-26.01%	【115】 57,713 -80,798	【300】 1,501-7,504
2018 年	【71】	【121】 6,057 - 30,283	【170】 1.70%-17.05%	【135】 67,332 -94,265	【230】 1,148-5,739

注：分摊比例=P92 无缝钢管总销售收入/公司主营业务收入

P92 无缝钢管应摊的税金及附加=公司期间费用合计*分摊比例

9、在下列每一期间 P92 无缝钢管的税前利润数据

单位：万元

期间	P92 无缝钢管 总销售收入	P92 无缝钢管 总销售成本	P92 无缝钢 管应摊税金 及附加	P92 无缝钢 管应摊期间费用	P92 无缝钢 管税前利润
2014 年	【100】 5,000 - 25,000	【100】 5,000-20,000	【100】 1- 50	【100】 500-2,500	【-100】 (-1000)- (-3,000)
2015 年	【55】 2,727 - 13,635	【52】 2,584-10,335	【580】 6- 290	【60】 302-1,512	【-31】 (-310)-(-931)
2016 年	【71】 3,539 - 17,696	【68】 3,396-13,584	【48】 0 -24	【276】 1,380-6,898	【-195】 (-1,947)-(-5,841)
2017 年	【195】 9,763 - 48,817	【158】 7,902-31,608	【3231】 32-1,616	【300】 1,501-7,504	【96】 964-2,893
2018 年	【121】 6,057 - 30,283	【115】 5,726-22,904	【2950】 29-1,475	【230】 1,148-5,739	【-140】 (-1,403)-(-4,208)

注：P92 无缝钢管税前利润 = P92 无缝钢管总销售收入 - P92 无缝钢管总销售成本 - P92 无缝钢管应摊税金及附加 - P92 无缝钢管应摊期间费用。

10、在下列每一期间 P92 无缝钢管的投资收益率数据

单位：万元

期间	P92 无缝钢管平均投资额	P92 无缝钢管税前利润	投资收益率
2014 年	【100】 10,000-30,000	【-100】 (-1000)- (-3,000)	【-100】 (-5)%-(-15%)
2015 年	【60】 5,978-17,934	【-31】 (-310)-(-931)	【-52】 (-3)%-(-8%)
2016 年	【215】 21,480-64,441	【-195】 (-1,947)-(-5,841)	【-91】 (-5)%-(-14%)
2017 年	【213】 21,342-64,026	【96】 964-2,893	【45】 2%-7%
2018 年	【177】 17,676-53,028	【-140】 (-1,403)-(-4,208)	【-79】 (-4)%-(-12%)

注：投资收益率 = P92 无缝钢管税前利润 / P92 无缝钢管平均投资额

P92 无缝钢管平均投资额 = 平均资产总额 * P92 无缝钢管生产成本 / 所有产品生产成本

平均资产总额 = (期初资产总额 + 期末资产总额) / 2

11、 在下列每一期间 P92 无缝钢管与活动经营有关的现金净流量数据。

单位：万元

期间	公司现金流入量	公司现金流出量	公司现金净流量
2014 年	【100】 200,000-800,000	【100】 200,000-80,000	【100】 10,000-100,000
2015 年	【91】 182,873 - 731,491	【94】 188,667-754,666	- 【25】 (-2,467)- (-24,675)
2016 年	【36】 72,402-289,609	【37】 73,723- 294,893	【10】 973 - 9,728
2017 年	【66】 131,774-527,096	【49】 98,365- 393,458	【735】 73,544 - 735,443
2018 年	【88】 176,750-706,998	【90】 179,798- 719,191	【27】 2,729 - 27,288

单位：万元

期间	P92 无缝钢管分摊的现金流入量	P92 无缝钢管分摊的现金流出量	P92 无缝钢管分摊的现金净流量
2014 年	【100】 5,000-15,000	【100】 5,000-15,000	【100】 1-100
2015 年	【51】 2,568-7,704	【56】 2,778-8,334	【-11344】 (-113)-(-11,344)
2016 年	【84】 4,223-12,669	【81】 4,053-12,158	【9319】 93-9,319
2017 年	【171】 8,567-25,702	【109】 5,440-16,319	【169848】 1,698-169,848
2018 年	【151】 7,533-22,600	【160】 7,992-23,976	【-24732】 (-247)-(-24,732)

注：（1）现金流量净额=现金流入量－现金流出量；

（2）现金净入量根据 P92 无缝钢管占公司主营业务收入比例分摊，现金流出量根据 P92 无缝钢管生产成本占公司总生产成本的比例分摊。

12、 在下列每一期间与 P92 无缝钢管生产运营有关的工资和就业情况

单位：万元；人；万元/人

期间	工资总额	就业人数	人均工资
2014 年	【100】 500-1,500	【100】 100-600	【100】 4.00-8.00
2015 年	【63】 315-945	【68】 68-410	【92】 3.69-7.38
2016 年	【175】 875-2,625	【165】 165-991	【106】 4.24-8.47
2017 年	【348】 1,739-5,217	【322】 322-1,933	【108】 4.32-8.63
2018 年	【228】 1,140-3,421	【211】 211-1,264	【108】 4.33-8.66

注：人均工资=工资总额/就业人数。

13、 在下列每一期间与 P92 无缝钢管的劳动生产率情况

单位：吨/人

期间	劳动生产率
2014 年	【100】 10-50
2015 年	【86】 9-43
2016 年	【53】 5-26
2017 年	【70】 7-35
2018 年	【66】 7-33

注：劳动生产率 = 产量 / 就业人数。